




GESTAR®

The Solution!



FASTENER DRIVE TOOL

Insert Bit / Power Bit / Impact Driver Bit / Bit Set


Fastener Drive Tool System



Fastener Drive Tool System

■ Magnetic Power Nut Setter – 1/4" Hex x 45mm L




Item No.	Hex Drive		KGS
Metric			
448-541	5.5 mm	50	0.9
448-542	6 mm	50	0.9
448-543	7 mm	50	0.9
448-544	8 mm	50	1.0
448-545	9 mm	50	1.0
448-546	10 mm	50	1.2
448-547	11 mm	50	1.5
448-548	12 mm	50	1.5
448-549	13 mm	50	1.5
448-550	14 mm	50	2.5

SAE

448-502	1/4"	50	0.8
448-504	5/16"	50	0.9
448-506	3/8"	50	1.0
448-507	7/16"	50	1.5
448-509	1/2"	50	1.5
448-510	9/16"	45	2.2

■ Magnetic Power Nut Setter – 1/4" Hex x 65mm L




Item No.	Hex Drive		KGS
Metric			
448-561	5.5 mm	50	1.1
448-562	6 mm	50	1.1
448-563	7 mm	50	1.1
448-564	8 mm	50	1.3
448-565	9 mm	50	1.6
448-566	10 mm	50	1.6
448-567	11 mm	50	2.3
448-568	12 mm	30	1.4
448-569	13 mm	50	2.5
448-570	14 mm	50	2.8


SAE

448-522	1/4"	50	1.1
448-524	5/16"	50	1.7
448-526	3/8"	50	1.6
448-527	7/16"	30	1.4
448-529	1/2"	30	1.5
448-530	9/16"	30	1.7

Ball-Lock Socket Adapter – 1/4" Hex


Item No.	Square Drive	Overall Length		KGS
SAE				
448-581	1/4"	25 mm L	100	1.0
448-582	1/4"	50 mm L	50	0.8
448-583	1/4"	65 mm L	50	1.0
448-585	3/8"	50 mm L	50	1.4
448-586	3/8"	65 mm L	50	1.6
448-588	1/2"	72 mm L	25	1.0


One-Piece Stainless Steel Magnetic Bit Holder – 1/4" Hex


Item No.	Bit Drive	Overall Length		KGS
SAE				
448-941	1/4"	60 mm L	50	1.2
448-942	1/4"	75 mm L	50	1.7


Stainless Steel Housing Magnetic Bit Holder – 1/4" Hex

Item No.	Bit Drive	Overall Length		KGS
SAE				
448-961	1/4"	60 mm L	50	1.2
448-962	1/4"	75 mm L	50	1.6
448-963	1/4"	100 mm L	25	1.0
448-964	1/4"	150 mm L	25	1.3

■ Insert Bit – 1/4" Hex x 25mm L



Item No.	Tip Size		KGS
Phillips			
444-200	PH 0	200	1.4
444-201	PH 1	200	1.4
444-202	PH 2	200	1.0
444-203	PH 3	200	1.4

Slotted

444-213	3 mm	200	1.4
444-214	4 mm	200	1.4
444-215	4.5 mm	200	1.4
444-216	5 mm	200	1.4
444-217	5.5 mm	200	1.4
444-218	6 mm	200	1.4
444-219	6.5 mm	200	1.4
444-220	7 mm	200	1.6
444-221	8 mm	200	2.2
444-222	10 mm	200	2.8


Hex – Metric

444-245	1.5 mm	200	1.4
444-246	2 mm	200	1.4
444-247	2.5 mm	200	1.4
444-248	3 mm	200	1.4
444-249	4 mm	200	1.4
444-250	5 mm	200	1.6
444-251	5.5 mm	200	1.6
444-252	6 mm	200	1.6
444-253	7 mm	200	1.6
444-254	8 mm	200	2.0
444-255	10 mm	200	3.5

Hex – SAE

444-231	1/16"	200	1.4
444-232	5/64"	200	1.4
444-233	3/32"	200	1.4
444-234	7/64"	200	1.4
444-235	1/8"	200	1.4
444-236	9/64"	200	1.4
444-237	5/32"	200	1.6
444-238	3/16"	200	1.6
444-239	7/32"	200	1.6
444-240	1/4"	200	1.6
444-242	5/16"	200	2.0
444-243	3/8"	200	1.5

■ Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

Hex Tamperproof – Metric

444-285	1.5 mm	200	1.4
444-286	2 mm	200	1.4
444-287	2.5 mm	200	1.4
444-288	3 mm	200	1.4
444-289	4 mm	200	1.4
444-290	5 mm	200	1.6
444-291	5.5 mm	200	1.6
444-292	6 mm	200	1.6
444-293	7 mm	200	1.6
444-294	8 mm	200	2.0
444-295	10 mm	200	3.6



Hex Tamperproof

Hex Tamperproof – SAE

444-271	1/16"	200	1.4
444-272	5/64"	200	1.4
444-273	3/32"	200	1.4
444-274	7/64"	200	1.4
444-275	1/8"	200	1.4
444-276	9/64"	200	1.4
444-277	5/32"	200	1.6
444-278	3/16"	200	1.6
444-279	7/32"	200	1.6
444-280	1/4"	200	1.6
444-281	5/16"	200	2.0
444-282	3/8"	200	3.6

TORX®

444-301	T5	200	0.8
444-302	T6	200	0.8
444-303	T7	200	0.8
444-304	T8	200	0.8
444-305	T9	200	0.8
444-306	T10	200	0.8
444-307	T15	200	1.0
444-308	T20	200	1.0
444-309	T25	200	1.0
444-310	T27	200	1.0
444-311	T30	200	1.0
444-313	T40	200	1.2
444-314	T45	200	1.8
444-315	T50	200	2.0



TORX®

■ Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
TORX® Tamperproof			
444-321	T5	200	0.8
444-322	T6	200	0.8
444-323	T7	200	0.8
444-324	T8	200	0.8
444-325	T9	200	0.8
444-326	T10	200	0.8
444-327	T15	200	1.0
444-328	T20	200	1.0
444-329	T25	200	1.0
444-330	T27	200	1.0
444-331	T30	200	1.0
444-332	T35	200	1.2
444-333	T40	200	1.2
444-334	T45	200	1.8
444-335	T50	200	2.0
POZIDRIV®			
444-340	PZ0	200	1.4
444-341	PZ1	200	1.4
444-342	PZ2	200	1.4
444-343	PZ3	200	1.4
444-344	PZ4	200	1.6
TORQ-SET®			
444-351	TS6	200	1.4
444-352	TS8	200	1.4
444-353	TS10	200	1.6
Spanner®			
444-355	SP4	200	1.4
444-356	SP6	200	1.4
444-357	SP8	200	1.4
444-358	SP10	200	1.4
TRI-WING®			
444-361	TW1	200	1.4
444-362	TW2	200	1.4
444-363	TW3	200	1.4
444-364	TW4	200	1.4





Square Recess




Clutch C



Spline

■ Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

Square Recess

444-370	S0	200	1.4
444-371	S1	200	1.4
444-372	S2	200	1.4
444-373	S3	200	1.4

Clutch C

444-381	C1 (1/8")	200	1.4
444-382	C2 (5/32")	200	1.4
444-383	C3 (3/16")	200	1.4

Spline

444-385	M5	200	1.4
444-386	M6	200	1.4
444-387	M8	200	1.6

*Item No. with "S" : 10Pc. Insert Bit Set - 1/4" Hex with Plastic Hanging Box



Plastic Case

■ Insert Bit – 5/16" Hex x 36mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

**Abrasive Blasting
Hex**

444-849	4 mm	100	1.1
444-850	5 mm	100	1.1
444-852	6 mm	100	1.1

*Item No. with "S" : 10Pc. Insert Bit Set - 5/16" Hex with PVC Pouch



Hex




PVC Pouch



Phillips

■ Power Bit – 1/4" Hex x 50mm L

Item No.	Tip Size		KGS
Phillips			
444-400	PH0	100	1.5
444-401	PH1	100	1.0
444-402	PH2	100	1.0
444-403	PH3	100	1.0
444-404	PH4	100	1.7

*Item No. with "S" : 10Pc. Power Bit Set - 1/4" Hex with Plastic Hanging Box




Plastic Case



Phillips

■ Round Shank Power Bit – 1/4" Hex x 50mm L

Item No.	Tip Size		KGS
Phillips			
444-600	PH0	100	1.5
444-601	PH1	100	1.5
444-602	PH2	100	1.5
444-603	PH3	100	1.6
444-604	PH4	100	1.7



Slotted

Slotted

444-613	3 mm	100	1.4
444-614	4 mm	100	1.4
444-615	4.5 mm	100	1.4
444-616	5 mm	100	1.4
444-618	6 mm	100	1.4
444-620	7 mm	100	1.5
444-621	8 mm	100	2.9
444-622	10 mm	100	2.3




TORX® Tamperproof

TORX® Tamperproof

444-726	T10	100	1.4
444-727	T15	100	1.4
444-728	T20	100	1.4
444-729	T25	100	1.4
444-730	T27	100	1.5
444-731	T30	100	1.5
444-733	T40	100	1.6
444-734	T45	100	2.6
444-735	T50	100	2.6

■ Round Shank Power Bit – 1/4" Hex x 50mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

Hex – Metric

444-645	1.5 mm	100	1.4
444-646	2 mm	100	1.4
444-647	2.5 mm	100	1.4
444-648	3 mm	100	1.4
444-649	4 mm	100	1.4
444-650	5 mm	100	1.4
444-651	5.5 mm	100	1.4
444-652	6 mm	100	1.4
444-653	7 mm	100	1.5
444-654	8 mm	100	2.0
444-655	10 mm	100	3.0



Hex

Hex – SAE

444-631	1/16"	100	1.4
444-632	5/64"	100	1.4
444-633	3/32"	100	1.4
444-634	7/64"	100	1.4
444-635	1/8"	100	1.4
444-636	9/64"	100	1.4
444-637	5/32"	100	1.4
444-638	3/16"	100	1.4
444-639	7/32"	100	1.4
444-640	1/4"	100	1.5
444-641	9/32"	100	1.5
444-642	5/16"	100	2.0
444-643	3/8"	100	3.0



Phillips



45-65mmL
Plastic Case



110-150mmL
PVC Pouch

■ Double End Power Bit – 1/4" Hex

Item No.	Tip Size	Overall Length		KGS
Phillips				
448-649	PH1	45 mm L	100	0.8
448-650	PH2	45 mm L	100	0.9
448-648	PH1	65 mm L	100	1.3
448-651	PH2	65 mm L	100	1.4
448-652	PH3	65 mm L	100	1.4

*Item No. with "S" : 10Pc. Round Shank Power Bit Set - 1/4" Hex with Plastic Hanging Box (45~65mm L)

448-659	PH2	110 mm L	50	1.3
448-653	PH3	110 mm L	50	1.3
448-660	PH2	150 mm L	50	1.9
448-655	PH3	150 mm L	50	1.9

*Item No. with "S" : 10Pc. Round Shank Power Bit Set - 1/4" Hex with PVC Pouch (110~150mm L)



Phillips

■ Double End Power Bit – 1/4" Hex

Item No.	Tip Size	Overall Length		KGS
Abrasive Blasting Phillips				
448-671	PH2	75 mm L	100	1.6
448-674	PH2	100 mm L	50	1.1

■ Round Shank Power Bit – 1/4" Hex x 100mm L

Item No.	Tip Size	Overall Length		KGS
Abrasive Blasting Hex				
444-675	5 mm	100 mm L	50	1.3

■ Magnetic Ball End Power Bit – 1/4" Hex x 150mm L

Item No.	Tip Size	Overall Length		KGS
Abrasive Blasting				
444-685	5 mm	150 mm L	50	2.0



Magnetic



Phillips



Slotted



Hex



POZIDRIV®



TORX®




TORX® Tamperproof



PVC Pouch

Impact Driver Bit – 5/16" Hex x 36mm L

Item No.	Tip Size		KGS
----------	----------	---	-----

Phillips

448-361	PH1	100	1.2
448-362	PH2	100	1.2
448-363	PH3	100	1.2
448-364	PH4	100	1.3

Slotted

448-368	8 mm	100	1.1
448-370	10 mm	100	1.4
448-371	12 mm	100	1.5

Hex – Metric

448-374	4 mm	100	1.0
448-375	5 mm	100	1.2
448-376	6 mm	100	1.1
448-386	7 mm	100	1.3
448-377	8 mm	100	1.4
448-378	10 mm	100	1.9
448-379	12 mm	50	1.2
448-380	14 mm	50	1.6

POZIDRIV®

448-382	PZ2	100	1.2
448-383	PZ3	100	1.2
448-384	PZ4	100	1.3

TORX®

448-394	T40	100	1.4
448-395	T45	100	1.5
448-396	T50	100	1.6
448-397	T55	100	1.8
448-398	T60	50	1.1

TORX® Tamperproof

448-403	T40	100	1.3
448-404	T45	100	1.5
448-405	T50	100	1.6
448-406	T55	100	1.7
448-407	T60	50	1.0

*Item No. with "S" : 10Pc. Impact Driver Bit Set - 5/16" Hex with PVC Pouch



Phillips



Slotted



PVC Pouch



448-810S (6PC.)



Phillips




PVC Pouch



Hex

■ Impact Driver Bit – 5/16" Hex x 80mm L


Item No.	Tip Size		KGS
Phillips			
448-801	PH1	80	2.5
448-802	PH2	80	2.4
448-803	PH3	80	2.8
448-804	PH4	80	2.8

Slotted

448-808	8 mm	80	2.4
448-810	10 mm	80	2.4

*Item No. with "S" : 10Pc. Impact Driver Bit Set - 5/16" Hex with PVC Pouch
 *448-810S : 6Pc. Impact Driver Bit Set - 5/16" Hex with PVC Pouch

■ Impact Driver Bit – 5/16" Hex x 80mm L

Item No.	Tip Size		KGS
Abrasive Blasting Phillips			
448-832	PH2	50	1.6
448-833	PH3	50	1.7

*Item No. with "S" : 10Pc. Impact Driver Bit Set - 5/16" Hex with PVC Pouch

■ Impact Driver Bit – 10mm Hex x 30mm L

Item No.	Tip Size		KGS
Hex – Metric			
448-304	4 mm	100	1.2
448-305	5 mm	100	1.3
448-306	6 mm	100	1.4
448-307	7 mm	100	1.5
448-308	8 mm	100	1.6
448-310	10 mm	100	2.0
448-312	12 mm	100	2.4


Spline

TORX® Tamperproof

Hex

Spline

TORX® Tamperproof
Impact Driver Bit – 10mm Hex x 30mm L

Item No.	Tip Size		KGS
Spline			
448-315	M5	100	1.2
448-316	M6	100	1.3
448-318	M8	100	1.5
448-320	M10	100	1.7
448-322	M12	100	2.0

TORX® Tamperproof

448-330	T20	100	1.1
448-331	T25	100	1.2
448-332	T30	100	1.3
448-333	T40	100	1.3
448-334	T45	100	1.5
448-335	T50	100	1.5
448-336	T55	100	1.8

Impact Driver Bit – 10mm Hex x 75mm L

Item No.	Tip Size		KGS
Hex – Metric			
448-704	4 mm	50	2.1
448-705	5 mm	50	2.2
448-706	6 mm	50	2.2
448-707	7 mm	50	2.3
448-708	8 mm	50	2.3
448-710	10 mm	50	4.2
448-712	12 mm	50	3.3

Spline

448-715	M5	50	2.1
448-716	M6	50	2.2
448-718	M8	50	2.2
448-720	M10	50	2.4
448-722	M12	50	2.8

TORX® Tamperproof

448-730	T20	50	2.1
448-731	T25	50	2.1
448-732	T30	50	2.1
448-733	T40	50	2.2
448-734	T45	50	2.2
448-735	T50	50	2.2
448-736	T55	50	2.4



Blow Mold Box

■ 6 Pc. Cr-V Impact Driver Set with Bits


Item No.		KGS
448-106	1	0.9

- Impact Driver Handle
- Bit Adapter : 1/2" Dr. x 5/16" Hex Bit
- 4 Impact Drive Bits : (5/16" Hex x 80mm L)
 - ⊕ Phillips : PH2, PH3
 - Slotted : 8, 10 mm



Blow Mold Box

■ 6 Pc. Impact Driver Set with Bits

Item No.		KGS
448-005	1	0.9

- Impact Driver Handle
- Bit Adapter : 1/2" Dr. x 5/16" Hex Bit
- 4 Impact Drive Bits : (5/16" Hex x 36mm L)
 - ⊕ Phillips : PH2, PH3
 - Slotted : 8, 10 mm



Blow Mold Box

■ 15 Pc. Impact Driver Set with Bits

Item No.		KGS
448-014	1	1.1

- Impact Driver Handle
- 3/8" Drive Adapter : (3/8" Hex x 30mm L)
- Bit Adapter : 1/2" Dr. x 5/16" Hex Bit
- 12 Impact Drive Bits : (5/16" Hex x 36mm L)
 - ⊕ Phillips : PH1, PH2, PH3, PH4
 - Slotted : 5, 6, 8, 10 mm
 - Hex : 4, 5, 6, 8 mm



Blow Mold Box



Plastic Case

15 Pc. Impact Driver Bit Set

Item No.		KGS
448-041	5	3.2

- Impact Bit Holder : 1/2" Dr. x 10mm Hex
- 7 Impact Driver Bits : (10mm Hex x 30mm L)
 - Hex : 4, 5, 6, 7, 8, 10, 12 mm
- 7 Impact Driver Bits : (10mm Hex x 75mm L)
 - Hex : 4, 5, 6, 7, 8, 10, 12 mm

31 Pc. Screwdriver Bit Set

Item No.		KGS
444-001	5	2.0

- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bits : (1/4" Hex x 25mm L)
 - ⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ3
 - ⊕ Phillips : PH0, PH1, PH2, PH2, PH3
 - Hex : 2, 3, 4, 5, 6 mm
 - Slotted : 3, 4, 5, 6, 7 mm
 - ⊕ TORX® : T6, T8, T10, T15, T20, T25, T27, T30, T40

31 Pc. Screwdriver Bit Set

Item No.		KGS
444-002	5	1.8

- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bits : (1/4" Hex x 25mm L)
 - Spline : M5, M6, M8
 - ⊕ TORQ-SET® : TS6, TS8, TS10
 - ⊕ TRI-WING® : TW1, TW2, TW3, TW4
 - ⊕ Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm
 - ⊕ Spanner : SP4, SP6, SP8, SP10
 - ⊕ TORX® Tamperproof : T6, T8, T10, T15, T20, T25, T27, T30, T40

31 Pc. Mini Bit Set

Item No.		KGS
444-004	1	0.3

- 30 Insert Bits : (1/4" Hex x 25mm L)
 - Slotted : 3, 4, 5, 6 mm
 - ⊕ Phillips : PH1, PH2, PH2, PH3
 - ⊕ POZIDRIV® : PZ1, PZ2, PZ2, PZ3
 - Hex : 3, 4, 5, 6 mm
 - ⊕ TORX® : T10, T15, T20, T25, T27, T30, T40
 - ⊕ TORX® Tamperproof : T10, T15, T20, T25, T27, T30, T40
- 1/4" Ratchet Wrench



Blow Mold Box

40 Pc. Impact Driver Bit Set

Item No.		KGS
448-040	1	1.8

- 2 Impact Bit Holders : 3/8" Dr. x 10mm Hex
1/2" Dr. x 10mm Hex
- 19 Impact Driver Bits : 10mm Hex x 75mm L
 - Hex : 4, 5, 6, 7, 8, 10, 12 mm
 - Spline : M5, M6, M8, M10, M12
 - ⊕ TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55
- 19 Impact Driver Bits : 10mm Hex x 30mm L
 - Hex : 4, 5, 6, 7, 8, 10, 12 mm
 - Spline : M5, M6, M8, M10, M12
 - ⊕ TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55




Blow Mold Box

61 Pc. 1/4" Dr. Socket & Bit Set

Item No.		KGS
487-011	1	1.2

- 12 Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 10 Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 35 Insert Bits : (1/4" Hex x 25mm L)
 - Slotted : 3, 4, 5, 6, 7 mm
 - ⊕ Phillips : PH0, PH1, PH2, PH2, PH3
 - ⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ3
 - Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
 - ⊕ TORX® Tamperproof : T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- Flexible Ratchet Screwdriver Handle
- Extension : 3"
- Magnetic Bit Holder : 1/4" Hex x 60mm L
- Adapter : 1/4" Hex x 1/4" Sq.

100 Pc. Screwdriver Bit Set

Item No.		KGS
499-061	1	0.8

- Magnetic Bit Holder : 1/4" Hex Dr. x 1/4" Hex Holder x 60mm L
- 2 Socket Adapters : 1/4" Dr. & 1/4" Hex x 25mm L
1/4" Dr. & 1/4" Hex x 50mm L
- Bit Adapter : 1/4" Dr. x 1/4" Hex
- Y Type Spanner
- 95 Insert Bits, 1/4" Hex x 25mm L
 - ⊕ Phillips : PH0, PH1, PH2, PH2, PH2, PH2, PH2, PH3
 - ⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ2, PZ2, PZ2, PZ3
 - Slotted : 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm
 - ⊕ TORX® : T8, T10, T15, T20, T25, T27, T30, T40, T45
 - ⊕ TORX® Tamperproof : T8, T10, T15, T20, T25, T27, T30, T35, T40
 - Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm
 - Hex : 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
 - ⊕ Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm
 - ⊕ Hex Tamperproof : 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"
 - ⊕ Spanner : SP4, SP6, SP8, SP10
 - ⊕ TRI-WING® : TW1, TW2, TW3, TW4
 - ⊕ TORQ-SET® : TS6, TS8, TS10
 - Square Recess : S0, S1, S2, S3
 - Spline : M5, M6, M8
 - Clutch C : C1, C2, C3



Blow Mold Box