



**GESTAR®**

*The Solution!*



# ■ CORE BIT / HOLE SAW / DRILL BIT

Diamond Core Bit / Hole Saw & Arbor  
Hole Saw Set / Drill Bit Set

## ■ Sintered Diamond Core Bit

| Item No. | Diameter |    | Total / Effective Length (mm) | Blade (Teeth) |             |                |            |
|----------|----------|----|-------------------------------|---------------|-------------|----------------|------------|
|          | inch     | mm |                               | Length (mm)   | Height (mm) | Thickness (mm) | Blade (mm) |
| 157-408  | 3/8"     | 10 | 93                            | entire blade  | 7.5         | 2.5            | 1          |
| 157-409  | 1/2"     | 12 | 93                            | entire blade  | 7.5         | 2.5            | 1          |
| 157-410  | 3/4"     | 20 | 93                            | 14            | 7.5         | 3              | 3          |
| 157-411  | 1"       | 25 | 93                            | 17            | 7.5         | 3              | 3          |
| 157-412  | 1-1/4"   | 32 | 93                            | 18            | 7.5         | 3              | 4          |
| 157-413  | 1-3/8"   | 35 | 93                            | 19            | 7.5         | 3              | 4          |
| 157-414  | 1-1/2"   | 38 | 93                            | 21            | 7.5         | 3              | 5          |
| 157-415  | 1-3/4"   | 44 | 93                            | 20            | 7.5         | 3              | 4          |
| 157-416  | 2"       | 51 | 93                            | 22            | 7.5         | 3              | 5          |

These diamond core bits, without barrel vents, are designed for drilling faucet-mounting holes or making clean rounded corners for square or rectangular sinkholes. Used for wet drilling, a tool possessing a central water feed or a water swivel is necessary.

- **Applications :** These sintered diamond core bits can be used for drilling holes in concrete, granite, stone, tile.



## ■ Diamond Core Bit- for Concrete Dry Cutting

| Item No. | Diameter |     | Total / Effective Length (mm) | Blade (Teeth) |             |                |            |
|----------|----------|-----|-------------------------------|---------------|-------------|----------------|------------|
|          | inch     | mm  |                               | Length (mm)   | Height (mm) | Thickness (mm) | Blade (mm) |
| 157-025  | 1"       | 25  | 286 / 186                     | 17            | 9           | 3.5            | 3          |
| 157-027  | 1-1/8"   | 27  | 286 / 186                     | 19            | 9           | 3.5            | 3          |
| 157-032  | 1-1/4"   | 32  | 286 / 186                     | 23            | 9           | 3.5            | 3          |
| 157-036  | 1-3/8"   | 36  | 286 / 186                     | 20            | 9           | 3.5            | 4          |
| 157-038  | 1-1/2"   | 38  | 286 / 186                     | 22            | 9           | 3.5            | 4          |
| 157-044  | 1-3/4"   | 44  | 286 / 186                     | 21            | 9           | 3.5            | 4          |
| 157-051  | 2"       | 51  | 286 / 186                     | 21            | 9           | 3.5            | 4          |
| 157-056  | 2-1/4"   | 56  | 286 / 186                     | 22            | 9           | 3.5            | 4          |
| 157-063  | 2-1/2"   | 63  | 286 / 186                     | 22            | 9           | 3.5            | 4          |
| 157-076  | 3"       | 76  | 286 / 186                     | 22            | 9           | 3.5            | 5          |
| 157-083  | 3-1/4"   | 83  | 286 / 186                     | 25            | 9           | 3.5            | 5          |
| 157-089  | 3-1/2"   | 89  | 286 / 186                     | 25            | 9           | 3.5            | 5          |
| 157-102  | 4"       | 102 | 286 / 186                     | 24            | 9           | 4              | 7          |
| 157-114  | 4-1/2"   | 114 | 286 / 186                     | 24            | 9           | 4              | 8          |
| 157-127  | 5"       | 127 | 286 / 186                     | 25            | 9           | 4              | 8          |
| 157-132  | 5-1/4"   | 132 | 286 / 186                     | 25            | 9           | 4              | 8          |
| 157-140  | 5-1/2"   | 140 | 286 / 186                     | 25            | 9           | 4              | 9          |
| 157-152  | 6"       | 152 | 286 / 186                     | 25            | 9           | 4.5            | 9          |



■ Diamond Core Bit- for Ceramic Tile



| Item No. | Diameter |     | Total / Effective Length (mm) | Blade (Teeth) |             |                |            |
|----------|----------|-----|-------------------------------|---------------|-------------|----------------|------------|
|          | inch     | mm  |                               | Length (mm)   | Height (mm) | Thickness (mm) | Blade (mm) |
| 157-420  | 3/4"     | 20  | 90                            | 13            | 8           | 2              | 3          |
| 157-425  | 1"       | 25  | 90                            | 19            | 8           | 2              | 3          |
| 157-430  | 1-1/8"   | 30  | 90                            | 18            | 8           | 2              | 4          |
| 157-432  | 1-1/4"   | 32  | 90                            | 19            | 8           | 2              | 4          |
| 157-435  | 1-3/8"   | 35  | 90                            | 20            | 8           | 2              | 4          |
| 157-438  | 1-1/2"   | 38  | 90                            | 22            | 8           | 2              | 4          |
| 157-440  | 1-5/8"   | 40  | 90                            | 22            | 8           | 2              | 4          |
| 157-444  | 1-3/4"   | 44  | 90                            | 20            | 8           | 2              | 5          |
| 157-451  | 2"       | 51  | 90                            | 23            | 8           | 2              | 5          |
| 157-456  | 2-1/4"   | 56  | 90                            | 21            | 8           | 2              | 6          |
| 157-463  | 2-1/2"   | 63  | 90                            | 25            | 8           | 2              | 6          |
| 157-476  | 3"       | 76  | 90                            | 26            | 8           | 2              | 7          |
| 157-502  | 4"       | 102 | 90                            | 25            | 8           | 2              | 10         |

■ Diamond Core Bit- for Granite



| Item No. | Diameter |    | Total / Effective Length (mm) | Blade (Teeth) |             |                |            |
|----------|----------|----|-------------------------------|---------------|-------------|----------------|------------|
|          | inch     | mm |                               | Length (mm)   | Height (mm) | Thickness (mm) | Blade (mm) |
| 157-300  | 3/4"     | 20 | 108                           | 14            | 8           | 3              | 3          |
| 157-301  | 1"       | 25 | 108                           | 17            | 8           | 3              | 3          |
| 157-302  | 1-1/8"   | 30 | 108                           | 17            | 8           | 3              | 4          |
| 157-303  | 1-1/4"   | 32 | 108                           | 18            | 8           | 3              | 4          |
| 157-304  | 1-3/8"   | 35 | 108                           | 19            | 8           | 3              | 4          |
| 157-305  | 1-1/2"   | 38 | 108                           | 21            | 8           | 3              | 4          |
| 157-308  | 1-5/8"   | 40 | 108                           | 21            | 8           | 3              | 4          |
| 157-306  | 1-3/4"   | 44 | 108                           | 21            | 8           | 3              | 4          |
| 157-307  | 2"       | 51 | 108                           | 20            | 8           | 3              | 5          |

■ Diamond Core Bit- for Marble



| Item No. | Diameter |    | Total / Effective Length (mm) | Blade (Teeth) |             |                |            |
|----------|----------|----|-------------------------------|---------------|-------------|----------------|------------|
|          | inch     | mm |                               | Length (mm)   | Height (mm) | Thickness (mm) | Blade (mm) |
| 157-320  | 3/4"     | 20 | 108                           | 13            | 8           | 2              | 3          |
| 157-321  | 1"       | 25 | 108                           | 19            | 8           | 2              | 3          |
| 157-322  | 1-1/8"   | 30 | 108                           | 18            | 8           | 2              | 4          |
| 157-323  | 1-1/4"   | 32 | 108                           | 19            | 8           | 2              | 4          |
| 157-324  | 1-3/8"   | 35 | 108                           | 20            | 8           | 2              | 4          |
| 157-325  | 1-1/2"   | 38 | 108                           | 22            | 8           | 2              | 4          |
| 157-326  | 1-3/4"   | 44 | 108                           | 20            | 8           | 2              | 5          |
| 157-327  | 2"       | 51 | 108                           | 23            | 8           | 2              | 5          |

## ■ Hole Saw

| Item No. | Dia.     |    | Material Speed (rpm) |     |     |     |     |       |
|----------|----------|----|----------------------|-----|-----|-----|-----|-------|
|          | inch     | mm | *1                   | *2  | *3  | *4  | *5  | *6    |
| 984-001  | 9/16"    | 14 | 900                  | 790 | 400 | 300 | 580 | 1,800 |
| 984-002  | 5/8"     | 16 | 825                  | 730 | 365 | 275 | 550 | 1,650 |
| 984-003  | 11/16"   | 17 | 750                  | 665 | 330 | 250 | 500 | 1,500 |
| 984-004  | 3/4"     | 19 | 690                  | 600 | 300 | 230 | 460 | 1,380 |
| 984-005  | 25/32"   | 20 | 690                  | 600 | 300 | 230 | 460 | 1,380 |
| 984-006  | 13/16"   | 21 | 635                  | 560 | 280 | 210 | 425 | 1,270 |
| 984-007  | 7/8"     | 22 | 585                  | 520 | 260 | 195 | 390 | 1,170 |
| 984-008  | 15/16"   | 24 | 555                  | 495 | 245 | 185 | 370 | 1,110 |
| 984-009  | 1"       | 25 | 525                  | 470 | 235 | 175 | 350 | 1,050 |
| 984-010  | 1-1/16"  | 27 | 480                  | 435 | 215 | 160 | 325 | 960   |
| 984-011  | 1-1/8"   | 29 | 450                  | 400 | 200 | 150 | 300 | 900   |
| 984-012  | 1-3/16"  | 30 | 425                  | 380 | 190 | 145 | 285 | 850   |
| 984-013  | 1-1/4"   | 32 | 410                  | 360 | 180 | 140 | 275 | 820   |
| 984-014  | 1-5/16"  | 33 | 390                  | 345 | 175 | 135 | 260 | 780   |
| 984-015  | 1-3/8"   | 35 | 375                  | 330 | 165 | 125 | 250 | 750   |
| 984-016  | 1-7/16"  | 37 | 360                  | 315 | 160 | 120 | 240 | 720   |
| 984-017  | 1-1/2"   | 38 | 345                  | 300 | 150 | 115 | 230 | 690   |
| 984-018  | 1-9/16"  | 40 | 330                  | 290 | 145 | 110 | 220 | 660   |
| 984-019  | 1-5/8"   | 41 | 315                  | 280 | 140 | 105 | 210 | 630   |
| 984-020  | 1-11/16" | 43 | 305                  | 270 | 135 | 100 | 205 | 610   |
| 984-021  | 1-3/4"   | 44 | 295                  | 260 | 130 | 95  | 195 | 590   |
| 984-022  | 1-13/16" | 46 | 285                  | 250 | 125 | 95  | 190 | 570   |
| 984-023  | 1-7/8"   | 48 | 270                  | 240 | 120 | 90  | 180 | 540   |
| 984-024  | 2"       | 51 | 255                  | 230 | 115 | 85  | 170 | 510   |
| 984-025  | 2-1/16"  | 52 | 245                  | 220 | 110 | 80  | 165 | 490   |
| 984-026  | 2-1/8"   | 54 | 240                  | 210 | 105 | 80  | 160 | 480   |
| 984-027  | 2-1/4"   | 57 | 225                  | 200 | 100 | 75  | 150 | 450   |
| 984-028  | 2-5/16"  | 59 | 225                  | 195 | 100 | 75  | 145 | 450   |
| 984-029  | 2-3/8"   | 60 | 220                  | 190 | 95  | 70  | 140 | 440   |
| 984-030  | 2-1/2"   | 64 | 205                  | 180 | 90  | 65  | 135 | 410   |
| 984-031  | 2-9/16"  | 65 | 200                  | 175 | 85  | 65  | 130 | 400   |
| 984-032  | 2-5/8"   | 67 | 195                  | 170 | 85  | 65  | 130 | 390   |
| 984-033  | 2-3/4"   | 70 | 185                  | 160 | 80  | 60  | 125 | 370   |
| 984-034  | 2-7/8"   | 73 | 180                  | 160 | 80  | 50  | 120 | 360   |
| 984-035  | 3"       | 76 | 170                  | 150 | 75  | 55  | 115 | 340   |
| 984-036  | 3-1/8"   | 79 | 165                  | 140 | 70  | 55  | 110 | 330   |
| 984-037  | 3-1/4"   | 83 | 155                  | 140 | 70  | 50  | 105 | 310   |
| 984-038  | 3-3/8"   | 86 | 150                  | 130 | 65  | 50  | 100 | 300   |
| 984-039  | 3-1/2"   | 89 | 145                  | 130 | 65  | 45  | 95  | 290   |
| 984-040  | 3-5/8"   | 92 | 140                  | 120 | 60  | 45  | 95  | 280   |

Material Speed interpretation :

\*1 : Aluminium, Zamak, Antimonium

\*2 : Brass, Copper

\*3 : Cast Iron

\*4 : High Speed, Tool and Stainless Steel

\*5 : Mild Steel

\*6 : Plastic and wood, Bakelite



■ Hole Saw



| Item No. | Dia.   |     | Material Speed (rpm) |     |    |    |    |     |
|----------|--------|-----|----------------------|-----|----|----|----|-----|
|          | inch   | mm  | *1                   | *2  | *3 | *4 | *5 | *6  |
| 984-041  | 3-3/4" | 95  | 135                  | 120 | 60 | 45 | 90 | 270 |
| 984-042  | 3-7/8" | 98  | 135                  | 120 | 60 | 45 | 90 | 270 |
| 984-043  | 4"     | 102 | 130                  | 110 | 55 | 40 | 85 | 260 |
| 984-044  | 4-1/8" | 105 | 120                  | 110 | 55 | 40 | 80 | 240 |
| 984-045  | 4-1/4" | 108 | 120                  | 110 | 55 | 40 | 80 | 240 |
| 984-046  | 4-3/8" | 111 | 120                  | 100 | 50 | 40 | 80 | 240 |
| 984-047  | 4-1/2" | 114 | 105                  | 100 | 50 | 35 | 75 | 210 |
| 984-048  | 4-3/4" | 121 | 95                   | 90  | 45 | 35 | 70 | 190 |
| 984-049  | 5"     | 127 | 90                   | 85  | 40 | 30 | 65 | 180 |
| 984-050  | 5-1/4" | 133 | 90                   | 85  | 40 | 30 | 65 | 180 |
| 984-051  | 5-1/2" | 140 | 85                   | 80  | 35 | 30 | 60 | 170 |
| 984-052  | 6"     | 152 | 85                   | 75  | 25 | 25 | 55 | 170 |

Material Speed interpretation :

- \*1 : Aluminium, Zamak, Antimonium
- \*2 : Brass, Copper
- \*3 : Cast Iron
- \*4 : High Speed, Tool and Stainless Steel
- \*5 : Mild Steel
- \*6 : Plastic and wood, Bakelite





### Hole Saw Arbor

| Item No. | Fits Chuck Size inch | Fits Chuck Size mm | Fits Hole Saw Dia.           |
|----------|----------------------|--------------------|------------------------------|
| 984-100  | 1/4"                 | 6.35               | 9/16" ~ 1-3/16" (14 ~ 30 mm) |

Quick-Lock Type.

|         |      |      |                           |
|---------|------|------|---------------------------|
| 984-200 | 3/8" | 9.5  | 1-1/4" ~ 6" (32 ~ 152 mm) |
| 984-400 | 1/2" | 12.7 | 1-1/4" ~ 6" (32 ~ 152 mm) |

### High Speed Steel Pilot Drill

| Item No. | Pilot Drills Dia. inch | Pilot Drills Dia. mm | Length | For Arbor        |
|----------|------------------------|----------------------|--------|------------------|
| 984-101  | 1/4"                   | 6.35                 | 105 mm | 984-100          |
| 984-102  | 1/4"                   | 6.35                 | 75 mm  | 984-200, 984-400 |

### 11 Pc. Hole Saw Set

| Item No. | Icon | KGS |
|----------|------|-----|
| 984-060  |      | 1.9 |

- 7 Hole Saws : 3/4" (19 mm), 7/8" (22 mm), 1-1/8" (29 mm), 1-3/8" (35 mm), 1-3/4" (44 mm), 2" (51 mm), 2-1/2" (64 mm)
- 2 Arbor : Fits Chuck Size 6.35 mm & 9.5 mm
- 2 Pilot Drills Diameter 6.35 mm : Length 75 mm & 105 mm

### 13 Pc. Hole Saw Set

| Item No. | Icon | KGS |
|----------|------|-----|
| 984-061  |      | 2.0 |

- 11 Hole Saws : 3/4" (19 mm), 7/8" (22 mm), 1" (25 mm), 1-1/8" (29 mm), 1-3/8" (35 mm), 1-1/2" (38 mm), 1-3/4" (44 mm), 2" (51 mm), 2-1/4" (57 mm), 2-1/2" (64 mm), 3" (76 mm)
- 2 Arbor : Fits Chuck Size 6.35 mm & 9.5 mm
- Hex Wrench : 4 mm

Hole Saw / Hole Saw Set



Metal Box



Blow Mold Box


## HOLE SAWS

- Sharp and Wear-Resistant
- High-Quality Materials
- Meeting Multiple Needs

### Scope of Application




■ Drill Bit M2 HSS Cr-V – for Metal

| Item No.      | Size    |  | KGS  |
|---------------|---------|---|------|
| <b>Metric</b> |         |   |      |
| 993-005       | 0.5 mm  | 10  | 0.01 |
| 993-010       | 1.0 mm  | 10  | 0.01 |
| 993-015       | 1.5 mm  | 10  | 0.02 |
| 993-020       | 2.0 mm  | 10  | 0.02 |
| 993-022       | 2.2 mm  | 10  | 0.02 |
| 993-025       | 2.5 mm  | 10  | 0.03 |
| 993-030       | 3.0 mm  | 10  | 0.03 |
| 993-032       | 3.2 mm  | 10  | 0.04 |
| 993-035       | 3.5 mm  | 10  | 0.05 |
| 993-040       | 4.0 mm  | 10  | 0.06 |
| 993-042       | 4.2 mm  | 10  | 0.09 |
| 993-045       | 4.5 mm  | 10  | 0.10 |
| 993-050       | 5.0 mm  | 10  | 0.12 |
| 993-055       | 5.5 mm  | 10  | 0.15 |
| 993-060       | 6.0 mm  | 10  | 0.17 |
| 993-065       | 6.5 mm  | 10  | 0.21 |
| 993-070       | 7.0 mm  | 10  | 0.30 |
| 993-075       | 7.5 mm  | 10  | 0.30 |
| 993-080       | 8.0 mm  | 10  | 0.36 |
| 993-085       | 8.5 mm  | 10  | 0.40 |
| 993-090       | 9.0 mm  | 5   | 0.31 |
| 993-095       | 9.5 mm  | 5   | 0.32 |
| 993-100       | 10.0 mm | 5   | 0.32 |
| 993-105       | 10.5 mm | 5   | 0.34 |
| 993-110       | 11.0 mm | 5   | 0.39 |
| 993-115       | 11.5 mm | 5   | 0.50 |
| 993-120       | 12.0 mm | 5   | 0.51 |
| 993-125       | 12.5 mm | 5   | 0.52 |
| 993-130       | 13.0 mm | 5   | 0.52 |
| 993-135       | 13.5 mm | 5   | 0.60 |
| 993-140       | 14.0 mm | 1   | 0.13 |
| 993-145       | 14.5 mm | 1   | 0.15 |
| 993-150       | 15.0 mm | 1   | 0.15 |
| 993-155       | 15.5 mm | 1   | 0.16 |
| 993-160       | 16.0 mm | 1   | 0.17 |
| 993-165       | 16.5 mm | 1   | 0.18 |
| 993-170       | 17.0 mm | 1   | 0.20 |
| 993-190       | 19.0 mm | 1   | 0.26 |
| 993-210       | 21.0 mm | 1   | 0.30 |
| 993-230       | 23.0 mm | 1   | 0.35 |
| 993-240       | 24.0 mm | 1   | 0.40 |
| 993-250       | 25.0 mm | 1   | 0.45 |



Cutting Edge  
(Split Point)

## ■ Drill Bit M2 HSS Cr-V – for Metal

| Item No.   | Size   |  | KGS  |
|------------|--------|---|------|
| <b>SAE</b> |        |   |      |
| 992-101    | 1/16"  | 10  | 0.02 |
| 992-102    | 5/64"  | 10  | 0.02 |
| 992-103    | 3/32"  | 10  | 0.03 |
| 992-104    | 7/64"  | 10  | 0.04 |
| 992-105    | 1/8"   | 10  | 0.04 |
| 992-106    | 9/64"  | 10  | 0.06 |
| 992-107    | 5/32"  | 10  | 0.06 |
| 992-108    | 11/64" | 10  | 0.10 |
| 992-109    | 3/16"  | 10  | 0.12 |
| 992-110    | 13/64" | 10  | 0.02 |
| 992-111    | 7/32"  | 10  | 0.06 |
| 992-112    | 15/64" | 10  | 0.07 |
| 992-113    | 1/4"   | 10  | 0.21 |
| 992-114    | 17/64" | 10  | 0.23 |
| 992-115    | 9/32"  | 10  | 0.26 |
| 992-116    | 19/64" | 10  | 0.31 |
| 992-117    | 5/16"  | 10  | 0.36 |
| 992-118    | 11/32" | 5   | 0.31 |
| 992-119    | 3/8"   | 5   | 0.32 |
| 992-120    | 25/64" | 5   | 0.33 |
| 992-121    | 13/32" | 5   | 0.34 |
| 992-122    | 27/64" | 5   | 0.39 |
| 992-123    | 7/16"  | 5   | 0.45 |
| 992-124    | 29/64" | 5   | 0.48 |
| 992-125    | 15/32" | 5   | 0.51 |
| 992-126    | 31/64" | 5   | 0.52 |
| 992-127    | 1/2"   | 5   | 0.58 |
| 992-128    | 9/16"  | 1   | 0.15 |
| 992-129    | 19/32" | 1   | 0.16 |
| 992-130    | 5/8"   | 1   | 0.17 |
| 992-131    | 11/16" | 1   | 0.23 |
| 992-132    | 3/4"   | 1   | 0.26 |
| 992-133    | 13/16" | 1   | 0.30 |
| 992-134    | 7/8"   | 1   | 0.38 |
| 992-135    | 15/16" | 1   | 0.43 |
| 992-136    | 1"     | 1   | 0.55 |



Cutting Edge  
(Split Point)

■ Drill Bit M35 HSS Co – for Stainless

| Item No.      | Size    |  | KGS  |
|---------------|---------|---|------|
| <b>Metric</b> |         |   |      |
| 993-805       | 0.5 mm  | 10  | 0.01 |
| 993-810       | 1.0 mm  | 10  | 0.01 |
| 993-815       | 1.5 mm  | 10  | 0.02 |
| 993-820       | 2.0 mm  | 10  | 0.02 |
| 993-825       | 2.5 mm  | 10  | 0.03 |
| 993-830       | 3.0 mm  | 10  | 0.04 |
| 993-835       | 3.5 mm  | 10  | 0.05 |
| 993-840       | 4.0 mm  | 10  | 0.06 |
| 993-845       | 4.5 mm  | 10  | 0.10 |
| 993-850       | 5.0 mm  | 10  | 0.12 |
| 993-855       | 5.5 mm  | 10  | 0.15 |
| 993-860       | 6.0 mm  | 10  | 0.17 |
| 993-865       | 6.5 mm  | 10  | 0.21 |
| 993-870       | 7.0 mm  | 10  | 0.26 |
| 993-875       | 7.5 mm  | 10  | 0.30 |
| 993-880       | 8.0 mm  | 10  | 0.36 |
| 993-885       | 8.5 mm  | 10  | 0.40 |
| 993-890       | 9.0 mm  | 5   | 0.31 |
| 993-895       | 9.5 mm  | 5   | 0.32 |
| 993-900       | 10.0 mm | 5   | 0.32 |
| 993-905       | 10.5 mm | 5   | 0.34 |
| 993-910       | 11.0 mm | 5   | 0.39 |
| 993-915       | 11.5 mm | 5   | 0.50 |
| 993-920       | 12.0 mm | 5   | 0.51 |
| 993-925       | 12.5 mm | 5   | 0.52 |
| 993-930       | 13.0 mm | 5   | 0.58 |
| 993-935       | 13.5 mm | 5   | 0.60 |
| 993-940       | 14.0 mm | 1   | 0.13 |
| 993-945       | 14.5 mm | 1   | 0.15 |
| 993-950       | 15.0 mm | 1   | 0.15 |
| 993-955       | 15.5 mm | 1   | 0.16 |
| 993-960       | 16.0 mm | 1   | 0.17 |
| 993-965       | 16.5 mm | 1   | 0.18 |
| 993-970       | 17.0 mm | 1   | 0.20 |





Cutting Edge  
(Split Point)

5%  
COBALT

DIN  
338

**10X**  
PROVIDES GREATER  
RIGIDITY & STRENGTH

Application:





Cutting Edge  
(Split Point)

**5%  
COBALT**    **DIN  
338**

**10X**  
PROVIDES GREATER  
RIGIDITY & STRENGTH




▲ 992-902




▲ 992-901

## ■ Drill Bit M35 HSS Co – for Stainless

| Item No.   | Size   |  | KGS  |
|------------|--------|---|------|
| <b>SAE</b> |        |   |      |
| 992-001    | 1/16"  | 10  | 0.02 |
| 992-002    | 5/64"  | 10  | 0.02 |
| 992-003    | 3/32"  | 10  | 0.03 |
| 992-004    | 7/64"  | 10  | 0.04 |
| 992-005    | 1/8"   | 10  | 0.04 |
| 992-006    | 9/64"  | 10  | 0.06 |
| 992-007    | 5/32"  | 10  | 0.06 |
| 992-008    | 11/64" | 10  | 0.10 |
| 992-009    | 3/16"  | 10  | 0.12 |
| 992-010    | 13/64" | 10  | 0.15 |
| 992-011    | 7/32"  | 10  | 0.16 |
| 992-012    | 15/64" | 10  | 0.17 |
| 992-013    | 1/4"   | 10  | 0.21 |
| 992-014    | 17/64" | 10  | 0.23 |
| 992-015    | 9/32"  | 10  | 0.26 |
| 992-016    | 19/64" | 10  | 0.31 |
| 992-017    | 5/16"  | 5   | 0.31 |
| 992-028    | 21/64" | 5   | 0.31 |
| 992-018    | 11/32" | 5   | 0.31 |
| 992-029    | 23/64" | 5   | 0.32 |
| 992-019    | 3/8"   | 5   | 0.32 |
| 992-020    | 25/64" | 5   | 0.32 |
| 992-021    | 13/32" | 5   | 0.33 |
| 992-022    | 27/64" | 5   | 0.39 |
| 992-023    | 7/16"  | 5   | 0.45 |
| 992-024    | 29/64" | 5   | 0.48 |
| 992-025    | 15/32" | 5   | 0.51 |
| 992-026    | 31/64" | 5   | 0.52 |
| 992-027    | 1/2"   | 5   | 0.58 |

## ■ 25 Pc. Drill Bit Set M35 HSS Co – for Stainless

| Item No.  |        |  | KGS |
|---|--------|---|-----|
| 992-902   | Metric | 1   | 1.3 |
| ● 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm |        |   |     |

## ■ 29 Pc. Drill Bit Set M35 HSS Co – for Stainless

| Item No.  |     |  | KGS |
|---|-----|---|-----|
| 992-901   | SAE | 1   | 1.4 |
| ● 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", 19/64", 5/16", 21/64", 11/32", 23/64", 3/8", 25/64", 13/32", 27/64", 7/16", 29/64", 15/32", 31/64", 1/2" |     |   |     |



Cutting Edge  
(Split Point)


### Multiple Purposes Drill Bit

| Item No.      | Size    |  | KGS  |
|---------------|---------|---|------|
| <b>Metric</b> |         |   |      |
| 992-241       | 3.0 mm  | 1   | 0.01 |
| 992-242       | 4.0 mm  | 1   | 0.01 |
| 992-243       | 5.0 mm  | 1   | 0.01 |
| 992-244       | 6.0 mm  | 1   | 0.02 |
| 992-245       | 7.0 mm  | 1   | 0.02 |
| 992-246       | 8.0 mm  | 1   | 0.04 |
| 992-247       | 9.0 mm  | 1   | 0.05 |
| 992-248       | 10.0 mm | 1   | 0.05 |
| 992-249       | 11.0 mm | 1   | 0.09 |
| 992-250       | 12.0 mm | 1   | 0.09 |
| 992-252       | 14.0 mm | 1   | 0.10 |
| 992-254       | 16.0 mm | 1   | 0.12 |

### Masonry Drill Bit

| Item No. | Size<br>(D)   |  | KGS  |
|----------|---------------|---|------|
| 992-260  | 1/8" (3 mm)   | 1   | 0.01 |
| 992-261  | 5/32" (4 mm)  | 1   | 0.01 |
| 992-262  | 3/16" (5 mm)  | 1   | 0.01 |
| 992-263  | 1/4" (6 mm)   | 1   | 0.02 |
| 992-264  | 5/16" (8 mm)  | 1   | 0.04 |
| 992-265  | 11/32" (9 mm) | 1   | 0.05 |
| 992-266  | 3/8" (9.5 mm) | 1   | 0.05 |
| 992-272  | 7/16" (11 mm) | 1   | 0.09 |
| 992-267  | 1/2" (13 mm)  | 1   | 0.09 |
| 992-268  | 5/8" (16 mm)  | 1   | 0.12 |
| 992-269  | 3/4" (19 mm)  | 1   | 0.13 |
| 992-270  | 7/8" (22 mm)  | 1   | 0.22 |
| 992-271  | 1" (26 mm)    | 1   | 0.29 |

### 5 Pc. Masonry Drill Bit Set


| Item No.                          |               |  | KGS |
|-----------------------------------|---------------|---|-----|
| 992-921                           | <b>Matric</b> | 1   | 0.1 |
| ● 4, 5, 6, 8, 10 mm               |               |   |     |
| 992-922                           | <b>SAE</b>    | 1   | 0.1 |
| ● 5/32", 3/16", 1/4", 5/16", 3/8" |               |   |     |



Cutting Edge  
(Split Point)



## ■ SDS Rotary Hammer Drill Bit

| Item No.      | Size          |  | KGS  |
|---------------|---------------|---|------|
| <b>Metric</b> |               |   |      |
| 992-280       | 6.0 x 110 mm  | 1   | 0.04 |
| 992-281       | 6.0 x 160 mm  | 1   | 0.04 |
| 992-275       | 6.0 x 210 mm  | 1   | 0.05 |
| 992-282       | 8.0 x 110 mm  | 1   | 0.05 |
| 992-283       | 8.0 x 160 mm  | 1   | 0.05 |
| 992-276       | 8.0 x 210 mm  | 1   | 0.06 |
| 992-284       | 10.0 x 160 mm | 1   | 0.07 |
| 992-277       | 10.0 x 210 mm | 1   | 0.07 |
| 992-278       | 10.0 x 310 mm | 1   | 0.12 |
| 992-285       | 12.0 x 160 mm | 1   | 0.08 |
| 992-286       | 12.0 x 210 mm | 1   | 0.11 |
| 992-287       | 12.0 x 310 mm | 1   | 0.15 |
| 992-288       | 13.0 x 160 mm | 1   | 0.09 |
| 992-289       | 13.0 x 210 mm | 1   | 0.10 |
| 992-279       | 13.0 x 310 mm | 1   | 0.15 |
| 992-290       | 14.0 x 160 mm | 1   | 0.13 |
| 992-291       | 14.0 x 210 mm | 1   | 0.13 |
| 992-297       | 14.0 x 310 mm | 1   | 0.22 |
| 992-298       | 14.0 x 410 mm | 1   | 0.30 |
| 992-292       | 16.0 x 160 mm | 1   | 0.12 |
| 992-293       | 16.0 x 210 mm | 1   | 0.18 |



Cutting Edge  
(Split Point)



SDS Stands for slotted drive shaft or slotted drive system.  
 SDS Bits are inserted into the chuck to make a rotary hammer or a hammer drill.  
 SDS Drill bit are more powerful than the standard hammer drill,  
 making them well suited to more heavy-duty drilling applications.

■ SDS Plus Hammer Drill Bits – 2 Cutter

| Item No.      | Size          |  | KGS  |
|---------------|---------------|---|------|
| <b>Metric</b> |               |   |      |
| 993-300       | 6.0 x 110 mm  | 1   | 0.05 |
| 993-301       | 6.0 x 160 mm  | 1   | 0.05 |
| 993-302       | 6.0 x 210 mm  | 1   | 0.06 |
| 993-303       | 8.0 x 110 mm  | 1   | 0.05 |
| 993-304       | 8.0 x 160 mm  | 1   | 0.05 |
| 993-305       | 8.0 x 210 mm  | 1   | 0.06 |
| 993-306       | 10.0 x 160 mm | 1   | 0.07 |
| 993-307       | 10.0 x 210 mm | 1   | 0.07 |
| 993-308       | 10.0 x 310 mm | 1   | 0.12 |
| 993-309       | 12.0 x 160 mm | 1   | 0.08 |
| 993-310       | 12.0 x 210 mm | 1   | 0.11 |
| 993-311       | 12.0 x 310 mm | 1   | 0.15 |
| 993-312       | 13.0 x 160 mm | 1   | 0.09 |
| 993-313       | 13.0 x 210 mm | 1   | 0.10 |
| 993-314       | 13.0 x 310 mm | 1   | 0.15 |
| 993-315       | 14.0 x 160 mm | 1   | 0.13 |
| 993-316       | 14.0 x 210 mm | 1   | 0.13 |
| 993-317       | 14.0 x 310 mm | 1   | 0.15 |
| 993-318       | 14.0 x 410 mm | 1   | 0.30 |
| 993-319       | 16.0 x 160 mm | 1   | 0.12 |
| 993-320       | 16.0 x 210 mm | 1   | 0.18 |
| 993-321       | 16.0 x 310 mm | 1   | 0.22 |
| 993-322       | 16.0 x 360 mm | 1   | 0.25 |
| 993-323       | 16.0 x 410 mm | 1   | 0.30 |
| 993-324       | 18.0 x 210 mm | 1   | 0.20 |
| 993-325       | 18.0 x 310 mm | 1   | 0.30 |
| 993-326       | 18.0 x 360 mm | 1   | 0.35 |
| 993-327       | 18.0 x 410 mm | 1   | 0.40 |
| 993-328       | 20.0 x 210 mm | 1   | 0.30 |
| 993-329       | 20.0 x 310 mm | 1   | 0.35 |
| 993-330       | 20.0 x 360 mm | 1   | 0.40 |
| 993-331       | 20.0 x 410 mm | 1   | 0.45 |
| 993-332       | 22.0 x 210 mm | 1   | 0.55 |
| 993-333       | 22.0 x 310 mm | 1   | 0.65 |
| 993-334       | 22.0 x 360 mm | 1   | 0.75 |
| 993-335       | 22.0 x 410 mm | 1   | 0.85 |



Cutting Edge  
(Split Point)

