



GESTAR®

The Solution!




SOCKET

Accessory / Socket / Socket Set

1/4"
Dr. Socket Accessory

Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 296-119 | 6" 43 Teeth | | 12 | 1.8 |

Quick Release Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 296-713 | 6" 43 Teeth | | 10 | 1.6 |

Quick Release Ratchet (Pear Head)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 297-927 | 6" 24 Teeth | | 6 | 0.9 |

Quick Release Ratchet (Pear Head Dual Color)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 297-829 | 6" 72 Teeth | | 8 | 1.2 |

Quick Release Ratchet (Pear Head)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 297-924 | 6" 72 Teeth | | 12 | 1.6 |

Torque Wrench

| Item No. | Size | |  | KGS |
|----------|--------------------------------|--|---|-----|
| 297-921 | 11.5" 6-30 Nt.m (53-265 in.lb) | | 1 | 0.9 |

**Blow Mold Box Packing

Torque Wrench

| Item No. | Size | |  | KGS |
|----------|-------------------------------|--|---|-----|
| 297-922 | 11" 5-25 Nt.m (0.5-2.5 kgs.m) | | 1 | 0.8 |

**Blow Mold Box Packing

Spinner

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 296-004 | 8" | | 12 | 1.4 |

Spinner

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 296-003 | 6" | | 6 | 0.5 |



Flex Handle

| Item No. | Size | | KGS |
|----------|------|----|-----|
| 296-012 | 6" | 10 | 1.2 |



2-Way L Handle

| Item No. | Size | | KGS |
|----------|------|----|-----|
| 296-492 | 6" | 20 | 1.4 |



Sliding T Bar

| Item No. | Size | | KGS |
|----------|--------|----|-----|
| 296-010 | 4-1/2" | 20 | 1.0 |



Extension

| Item No. | Size | | KGS |
|----------|------|----|-----|
| 296-005 | 2" | 60 | 1.2 |
| 296-006 | 3" | 40 | 1.2 |
| 296-008 | 4" | 30 | 1.2 |
| 296-007 | 6" | 25 | 1.5 |
| 296-371 | 9" | 50 | 4.6 |
| 296-372 | 10" | 40 | 4.0 |



Flex Extension

| Item No. | Size | | KGS |
|----------|------|----|-----|
| 296-001 | 6" | 20 | 1.4 |



Adapter

| Item No. | Size | | KGS |
|----------|-----------------|----|-----|
| 296-002 | 1/4" F x 3/8" M | 70 | 1.4 |



Bit Adapter

| Item No. | Size | | KGS |
|----------|-------------------------|----|-----|
| 296-124 | 1/4" Dr. x 1/4" Hex Bit | 32 | 0.6 |



Universal Joint

| Item No. | Size | | KGS |
|----------|---------|----|-----|
| 296-011 | 1-5/16" | 40 | 0.8 |

1/4"

Dr. Socket Accessory

■ 1/4" Dr. Socket – 6 Point

| Item No. | Size |  | KGS |
|---------------|--------|---|-----|
| Metric | | | |
| 296-101 | 4 mm | 80 | 0.8 |
| 296-102 | 4.5 mm | 80 | 0.8 |
| 296-103 | 5 mm | 80 | 0.8 |
| 296-104 | 5.5 mm | 75 | 0.7 |
| 296-106 | 6 mm | 70 | 0.7 |
| 296-107 | 7 mm | 70 | 0.7 |
| 296-108 | 8 mm | 70 | 0.7 |
| 296-109 | 9 mm | 70 | 1.4 |
| 296-110 | 10 mm | 50 | 1.0 |
| 296-111 | 11 mm | 40 | 0.8 |
| 296-112 | 12 mm | 35 | 1.0 |
| 296-113 | 13 mm | 10 | 0.3 |
| 296-114 | 14 mm | 10 | 0.3 |

SAE

| | | | |
|---------|--------|----|-----|
| 296-021 | 5/32" | 80 | 0.8 |
| 296-022 | 3/16" | 80 | 0.8 |
| 296-023 | 7/32" | 80 | 0.8 |
| 296-024 | 1/4" | 70 | 0.7 |
| 296-025 | 9/32" | 70 | 0.7 |
| 296-026 | 5/16" | 70 | 0.7 |
| 296-027 | 11/32" | 70 | 0.7 |
| 296-028 | 3/8" | 50 | 0.8 |
| 296-029 | 7/16" | 40 | 0.8 |
| 296-030 | 1/2" | 35 | 1.0 |
| 296-031 | 9/16" | 10 | 0.3 |


1/4"
Dr. Socket

▶ 6 Point Socket

Chamfered corners eliminate stress concentration in the corners, increasing durability of sockets. Special radius-corner-design 6 point faces ensure the sockets grip securely, preventing any further damage of the fasteners.

■ 1/4" Dr. Socket – 12 Point



| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 296-601 | 4 mm | 80 | 0.8 |
| 296-602 | 5 mm | 80 | 0.8 |
| 296-603 | 6 mm | 70 | 0.7 |
| 296-604 | 7 mm | 70 | 0.7 |
| 296-605 | 8 mm | 70 | 0.9 |
| 296-606 | 9 mm | 70 | 1.1 |
| 296-607 | 10 mm | 50 | 1.0 |
| 296-608 | 11 mm | 40 | 1.0 |
| 296-609 | 12 mm | 35 | 1.0 |
| 296-612 | 13 mm | 30 | 0.8 |
| 296-614 | 14 mm | 25 | 0.9 |

SAE

| | | | |
|---------|--------|----|-----|
| 298-061 | 5/32" | 80 | 1.6 |
| 298-062 | 3/16" | 80 | 0.8 |
| 298-063 | 7/32" | 80 | 0.8 |
| 298-064 | 1/4" | 70 | 0.7 |
| 298-065 | 9/32" | 70 | 0.7 |
| 298-066 | 5/16" | 70 | 0.7 |
| 298-067 | 11/32" | 70 | 1.4 |
| 298-068 | 3/8" | 10 | 0.2 |
| 298-069 | 7/16" | 40 | 0.8 |
| 298-070 | 1/2" | 35 | 1.0 |
| 298-071 | 9/16" | 25 | 0.9 |

1/4"

Dr. Socket



➤ **12 Point Socket**

12 Point design makes it easier to locate the socket onto fastener. **GESTAR®** special designed sockets apply drive on the sides instead of corners, allowing high torque to be applied without damaging the corner of the fasteners.

■ 1/4" Dr. Deep Socket – 6 Point


| Item No. | Size |  | KGS |
|---------------|--------|---|-----|
| Metric | | | |
| 296-132 | 4 mm | 50 | 1.0 |
| 296-133 | 4.5 mm | 50 | 1.0 |
| 296-134 | 5 mm | 50 | 1.0 |
| 296-135 | 5.5 mm | 50 | 1.0 |
| 296-136 | 6 mm | 50 | 1.0 |
| 296-137 | 7 mm | 50 | 1.0 |
| 296-138 | 8 mm | 50 | 1.0 |
| 296-139 | 9 mm | 36 | 1.4 |
| 296-140 | 10 mm | 30 | 1.2 |
| 296-141 | 11 mm | 30 | 2.1 |
| 296-142 | 12 mm | 20 | 1.4 |
| 296-143 | 13 mm | 18 | 1.2 |
| 296-144 | 14 mm | 15 | 1.0 |

SAE

| | | | |
|---------|--------|----|-----|
| 296-044 | 5/32" | 50 | 1.0 |
| 296-045 | 3/16" | 50 | 1.0 |
| 296-046 | 7/32" | 50 | 1.0 |
| 296-047 | 1/4" | 50 | 1.0 |
| 296-048 | 9/32" | 50 | 1.0 |
| 296-049 | 5/16" | 50 | 1.0 |
| 296-050 | 11/32" | 36 | 1.4 |
| 296-051 | 3/8" | 30 | 1.2 |
| 296-052 | 7/16" | 30 | 1.5 |
| 296-053 | 1/2" | 18 | 0.9 |
| 296-054 | 9/16" | 15 | 1.0 |

1/4"
Dr. Deep Socket

■ 1/4" Dr. Deep Socket – 12 Point



| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 298-332 | 4 mm | 42 | 0.8 |
| 298-333 | 5 mm | 42 | 0.8 |
| 298-334 | 6 mm | 50 | 1.2 |
| 298-335 | 7 mm | 50 | 1.5 |
| 298-336 | 8 mm | 50 | 1.2 |
| 298-337 | 9 mm | 36 | 1.2 |
| 298-338 | 10 mm | 30 | 1.2 |
| 298-339 | 11 mm | 30 | 1.5 |
| 298-340 | 12 mm | 20 | 1.1 |
| 298-341 | 13 mm | 18 | 1.0 |
| 298-342 | 14 mm | 15 | 1.0 |


SAE

| | | | |
|---------|--------|----|-----|
| 298-032 | 3/16" | 50 | 1.0 |
| 298-033 | 7/32" | 50 | 1.1 |
| 298-034 | 1/4" | 50 | 1.2 |
| 298-035 | 9/32" | 50 | 1.2 |
| 298-036 | 5/16" | 50 | 1.2 |
| 298-037 | 11/32" | 36 | 1.1 |
| 298-038 | 3/8" | 30 | 1.2 |
| 298-039 | 7/16" | 30 | 1.4 |
| 298-040 | 1/2" | 20 | 1.1 |
| 298-041 | 9/16" | 18 | 1.2 |

1/4"

Dr. Deep Socket


1/4" Dr. E-Socket (For TORX® Head Screws)

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 293-701 | E4 | 25 | 0.2 |
| 293-702 | E5 | 25 | 0.2 |
| 293-703 | E6 | 25 | 0.2 |
| 293-704 | E7 | 70 | 0.8 |
| 293-705 | E8 | 70 | 0.8 |
| 293-707 | E10 | 50 | 0.9 |



1/4" Dr. Bit Socket – Phillips

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-400 | PH0 | 37 mm | 70 | 1.4 |
| 299-401 | PH1 | 37 mm | 70 | 1.4 |
| 299-402 | PH2 | 37 mm | 70 | 1.4 |
| 299-403 | PH3 | 37 mm | 70 | 1.4 |


1/4" Dr. Bit Socket – Slotted

| Item No. | Size | Length |  | KGS |
|----------|--------|--------|---|-----|
| 299-411 | 4.0 mm | 37 mm | 70 | 1.4 |
| 299-414 | 5.5 mm | 37 mm | 70 | 1.4 |
| 299-416 | 6.5 mm | 37 mm | 70 | 1.4 |
| 299-417 | 7.0 mm | 37 mm | 70 | 1.4 |
| 299-418 | 8.0 mm | 37 mm | 70 | 1.4 |


1/4" Dr. Bit Socket – Hex

| Item No. | Size | Length |  | KGS |
|----------|--------|--------|---|-----|
| 299-423 | 3.0 mm | 37 mm | 12 | 0.2 |
| 299-424 | 4.0 mm | 37 mm | 12 | 0.2 |
| 299-425 | 5.0 mm | 37 mm | 12 | 0.2 |
| 299-422 | 5.5 mm | 37 mm | 12 | 0.2 |
| 299-426 | 6.0 mm | 37 mm | 12 | 0.2 |
| 299-427 | 7.0 mm | 37 mm | 12 | 0.2 |
| 299-428 | 8.0 mm | 37 mm | 12 | 0.2 |

1/4"
Dr. Bit Socket



■ 1/4" Dr. Bit Socket – TORX®

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-454 | T8 | 37 mm | 70 | 1.4 |
| 299-461 | T9 | 37 mm | 70 | 1.4 |
| 299-455 | T10 | 37 mm | 70 | 1.4 |
| 299-456 | T15 | 37 mm | 70 | 1.4 |
| 299-457 | T20 | 37 mm | 70 | 1.4 |
| 299-458 | T25 | 37 mm | 70 | 1.4 |
| 299-459 | T27 | 37 mm | 70 | 1.4 |
| 299-460 | T30 | 37 mm | 70 | 1.4 |
| 299-462 | T40 | 37 mm | 70 | 1.4 |



■ 1/4" Dr. Bit Socket – TORX® Tamperproof

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-473 | T8 | 37 mm | 70 | 1.4 |
| 299-474 | T9 | 37 mm | 70 | 1.4 |
| 299-475 | T10 | 37 mm | 70 | 1.4 |
| 299-476 | T15 | 37 mm | 70 | 1.4 |
| 299-477 | T20 | 37 mm | 70 | 1.4 |
| 299-478 | T25 | 37 mm | 70 | 1.4 |
| 299-479 | T27 | 37 mm | 70 | 1.4 |
| 299-480 | T30 | 37 mm | 70 | 1.4 |
| 299-482 | T40 | 37 mm | 70 | 1.4 |



■ 1/4" Dr. Bit Socket – POZIDRIV®

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-405 | PZ0 | 37 mm | 70 | 1.4 |
| 299-406 | PZ1 | 37 mm | 70 | 1.4 |
| 299-407 | PZ2 | 37 mm | 70 | 1.4 |
| 299-408 | PZ3 | 37 mm | 70 | 1.4 |

1/4"

Dr. Bit Socket



Plastic Hanger



Clip Rail



Clip Rail



Plastic Hanger



Plastic Hanger

1/4" Dr. E Socket Set – 6 Pc. Clip Rail

| Item No. |  | KGS |
|----------|---|-----|
| 287-202 | 6 | 0.7 |

- 6 E Sockets : E4, E5, E6, E7, E8, E10

1/4" Dr. Bit Socket Set – Hex 7 Pc. Clip Rail

| Item No. |  | KGS |
|----------|---|-----|
| 287-203 | 3 | 0.6 |

- 6 Bit Sockets : Hex 3, 4, 5, 6, 7, 8 mm
- Sliding T Bar : 4-1/2"

1/4" Dr. Bit Socket Set – TORX® 8 Pc. Clip Rail

| Item No. |  | KGS |
|----------|---|-----|
| 287-204 | 3 | 0.6 |

- 7 Bit Sockets : TORX® Tamperproof T10, T15, T20, T25, T27, T30, T40
- Sliding T Bar : 4-1/2"

1/4" Dr. Socket Set – 10 Pc. Clip Rail

| Item No. |  | KGS |
|----------|---|-----|
| 299-058 | SAE, 12 Point | 1 |

- 10 Sockets : 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

1/4" Dr. Deep Socket Set – 10 Pc. Clip Rail

| Item No. |  | KGS |
|----------|---|-----|
| 287-201 | Metric, 12 Point | 1 |

- 10 Deep Sockets : 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm

| | | |
|---------|---------------|---|
| 287-022 | SAE, 12 Point | 1 |
|---------|---------------|---|

- 10 Deep Sockets : 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"



Blow Mold Box



Blow Mold Box



Blow Mold Box




Metal Box

■ 1/4" Dr. Socket Set – 16 Pc.

| Item No. | |  | KGS |
|----------|---------------|---|-----|
| 299-081 | SAE, 6 Point | 1 | 0.8 |
| 299-042 | SAE, 12 Point | 1 | 0.8 |

- 10 Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- Ratchet : Round Head 6"
- 2 Extensions : 3" & 6"
- Sliding T Bar : 4-1/2"
- Flex Handle : 6"
- Universal Joint

■ 1/4" Dr. Socket Set – 16 Pc.

| Item No. | |  | KGS |
|----------|---------------|---|-----|
| 299-007 | SAE, 6 Point | 1 | 0.8 |
| 287-021 | SAE, 12 Point | 1 | 0.8 |


- 10 Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- Ratchet : Quick Release Round Head 6"
- 2 Extensions : 3" & 6"
- Sliding T Bar : 4-1/2"
- Flex Handle : 6"
- Universal Joint

■ 1/4" Dr. Socket Set – 17 Pc.

| Item No. | |  | KGS |
|----------|-----------------|---|-----|
| 299-080 | Metric, 6 Point | 1 | 0.8 |

- 11 Sockets : 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- Ratchet : Round Head 6"
- 2 Extensions : 3" & 6"
- Sliding T Bar : 4-1/2"
- Flex Handle : 6"
- Universal Joint

■ 1/4" Dr. Socket Set – 24 Pc.

| Item No. | |  | KGS |
|----------|------------------------|---|-----|
| 299-024 | Metric & SAE, 6 Point | 1 | 0.7 |
| 287-024 | Metric & SAE, 12 Point | 1 | 0.9 |

- 10 Sockets : 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 9 Sockets : 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- Quick Release Ratchet : Pear Head 6"
- Flex Handle : 6"
- 2 Extensions : 2" & 6"
- Universal Joint

1/4"

Dr. Socket Set

3/8"
Dr. Socket Accessory

Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 296-203 | 8" 41 Teeth | | 6 | 2.2 |


Quick Release Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 296-714 | 8" 41 Teeth | | 6 | 2.2 |


Quick Release Ratchet (Pear Head)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 297-931 | 8" 24 Teeth | | 6 | 2.1 |


Quick Release Ratchet (Pear Head Dual Color)

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 297-832 | 8" 72 Teeth | | 6 | 1.9 |


Quick Release Ratchet (Pear Head)


| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 297-934 | 8" 72 Teeth | | 6 | 2.0 |


Torque Wrench

| Item No. | Size | |  | KGS |
|----------|-------------------------------|--|---|-----|
| 297-941 | 11" 6-30 Nt.m (53-265 in.lb) | | 1 | 1.0 |
| 297-942 | 14" 20-110 Nt.m (14-81 ft.lb) | | 1 | 1.2 |

****Blow Mold Box Packing**

Torque Wrench

| Item No. | Size | |  | KGS |
|----------|-------------------------------|--|---|-----|
| 297-944 | 11" 2-24 Nt.m (17-212 in.lb) | | 1 | 0.8 |
| 297-943 | 14" 20-100 Nt.m (14-81 ft.lb) | | 1 | 1.1 |


****Blow Mold Box Packing**

Flex Handle

| Item No. | Size | |  | KGS |
|----------|------|--|---|------|
| 296-213 | 8" | | 12 | 3.4 |
| 296-227 | 10" | | 10 | 13.0 |



2-Way L Handle

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-218 | 8" | 15 | 3.1 |



Sliding T Bar

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-202 | 8" | 10 | 1.8 |



Quick Release Sliding T Bar

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 297-308 | 8" | 10 | 2.0 |



Extension

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-206 | 3" | 20 | 2.0 |
| 296-210 | 5" | 15 | 2.1 |
| 296-207 | 6" | 15 | 2.2 |
| 296-209 | 8" | 12 | 2.4 |
| 296-208 | 10" | 10 | 2.4 |




Adapter

| Item No. | Size |  | KGS |
|----------|-----------------|---|-----|
| 296-214 | 3/8" F x 1/4" M | 60 | 1.8 |
| 296-215 | 3/8" F x 1/2" M | 30 | 1.5 |



Bit Adapter

| Item No. | Size |  | KGS |
|----------|-------------------------|---|-----|
| 296-125 | 3/8" Dr. x 1/4" Hex Bit | 32 | 1.9 |
| 296-225 | 3/8" Dr. x 10mm Hex Bit | 30 | 0.9 |



3-Function Adapter

| Item No. | Size |  | KGS |
|----------|-----------------|---|-----|
| 297-314 | 3/8" F x 1/4" M | 20 | 0.6 |
| 297-318 | 3/8" F x 1/2" M | 20 | 1.0 |




Universal Joint

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-211 | 2" | 20 | 1.4 |

3/8"

Dr. Socket Accessory

■ 3/8" Dr. Socket – 6 Point


| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 296-301 | 6 mm | 10 | 0.2 |
| 296-302 | 7 mm | 10 | 0.2 |
| 296-303 | 8 mm | 10 | 0.2 |
| 296-304 | 9 mm | 10 | 0.2 |
| 296-305 | 10 mm | 10 | 0.3 |
| 296-306 | 11 mm | 10 | 0.2 |
| 296-307 | 12 mm | 10 | 0.2 |
| 296-308 | 13 mm | 10 | 0.2 |
| 296-309 | 14 mm | 10 | 0.4 |
| 296-310 | 15 mm | 10 | 0.5 |
| 296-311 | 16 mm | 10 | 0.5 |
| 296-312 | 17 mm | 10 | 0.6 |
| 296-313 | 18 mm | 10 | 0.7 |
| 296-314 | 19 mm | 10 | 0.7 |
| 296-315 | 20 mm | 10 | 0.8 |
| 296-316 | 21 mm | 10 | 0.8 |
| 296-317 | 22 mm | 10 | 0.8 |
| 296-318 | 23 mm | 10 | 0.8 |
| 296-319 | 24 mm | 10 | 0.8 |

| | | | |
|------------|--------|----|-----|
| SAE | | | |
| 298-151 | 1/4" | 10 | 0.2 |
| 298-152 | 5/16" | 10 | 0.2 |
| 298-153 | 11/32" | 10 | 0.2 |
| 298-154 | 3/8" | 10 | 0.2 |
| 298-155 | 7/16" | 10 | 0.2 |
| 298-156 | 15/32" | 10 | 0.2 |
| 298-157 | 1/2" | 10 | 0.3 |
| 298-158 | 9/16" | 10 | 0.4 |
| 298-159 | 19/32" | 10 | 0.5 |
| 298-160 | 5/8" | 10 | 0.5 |
| 298-161 | 11/16" | 10 | 0.6 |
| 298-162 | 3/4" | 10 | 0.7 |
| 298-163 | 25/32" | 10 | 0.8 |
| 298-164 | 13/16" | 10 | 0.8 |
| 298-165 | 7/8" | 10 | 0.8 |
| 298-166 | 15/16" | 10 | 0.8 |

3/8"
Dr. Socket

■ 3/8" Dr. Socket – 12 Point



| Item No. | Size |  | KGS |
|---------------|--------|---|-----|
| Metric | | | |
| 296-341 | 6 mm | 10 | 0.2 |
| 296-342 | 7 mm | 10 | 0.2 |
| 296-343 | 8 mm | 10 | 0.2 |
| 296-344 | 9 mm | 10 | 0.3 |
| 296-345 | 10 mm | 10 | 0.2 |
| 296-346 | 11 mm | 10 | 0.2 |
| 296-347 | 12 mm | 10 | 0.2 |
| 296-348 | 13 mm | 10 | 0.2 |
| 296-349 | 14 mm | 10 | 0.4 |
| 296-350 | 15 mm | 10 | 0.5 |
| 296-351 | 16 mm | 10 | 0.5 |
| 296-352 | 17 mm | 10 | 0.6 |
| 296-353 | 18 mm | 10 | 0.7 |
| 296-354 | 19 mm | 10 | 0.7 |
| 296-355 | 20 mm | 10 | 0.8 |
| 296-356 | 21 mm | 10 | 0.8 |
| 296-357 | 22 mm | 10 | 0.9 |
| 296-359 | 24 mm | 10 | 0.9 |
| SAE | | | |
| 296-259 | 1/4" | 10 | 0.2 |
| 296-260 | 5/16" | 10 | 0.2 |
| 296-261 | 11/32" | 10 | 0.2 |
| 296-262 | 3/8" | 10 | 0.2 |
| 296-263 | 7/16" | 10 | 0.2 |
| 296-264 | 1/2" | 10 | 0.3 |
| 296-265 | 9/16" | 10 | 0.4 |
| 296-266 | 15/32" | 10 | 0.4 |
| 296-267 | 19/32" | 10 | 0.4 |
| 296-268 | 5/8" | 10 | 0.5 |
| 296-269 | 11/16" | 10 | 0.6 |
| 296-270 | 3/4" | 10 | 0.7 |
| 296-271 | 25/32" | 10 | 0.9 |
| 296-272 | 13/16" | 10 | 0.9 |
| 296-273 | 7/8" | 10 | 1.1 |
| 296-274 | 15/16" | 10 | 1.1 |

3/8"

Dr. Socket

■ 3/8" Dr. Deep Socket – 6 Point


| Item No. | Size |  | KGS |
|----------|------|---|-----|
|----------|------|---|-----|

Metric

| | | | |
|---------|-------|----|-----|
| 296-361 | 6 mm | 20 | 1.1 |
| 296-362 | 7 mm | 20 | 1.1 |
| 296-320 | 8 mm | 20 | 1.2 |
| 296-321 | 9 mm | 20 | 1.2 |
| 296-322 | 10 mm | 20 | 1.2 |
| 296-323 | 11 mm | 15 | 0.9 |
| 296-324 | 12 mm | 15 | 1.0 |
| 296-325 | 13 mm | 15 | 0.9 |
| 296-326 | 14 mm | 12 | 0.7 |
| 296-327 | 15 mm | 12 | 1.2 |
| 296-328 | 16 mm | 12 | 1.2 |
| 296-329 | 17 mm | 15 | 1.8 |
| 296-330 | 18 mm | 15 | 2.2 |
| 296-331 | 19 mm | 15 | 2.2 |
| 296-332 | 21 mm | 12 | 1.9 |

SAE

| | | | |
|---------|--------|----|-----|
| 298-983 | 1/4" | 20 | 0.8 |
| 298-984 | 5/16" | 20 | 0.8 |
| 298-985 | 3/8" | 20 | 0.8 |
| 298-986 | 7/16" | 15 | 0.9 |
| 298-987 | 1/2" | 15 | 1.0 |
| 298-988 | 9/16" | 12 | 0.8 |
| 298-989 | 5/8" | 12 | 1.2 |
| 298-990 | 11/16" | 15 | 1.8 |
| 298-991 | 3/4" | 15 | 2.2 |
| 298-992 | 13/16" | 12 | 2.0 |
| 298-993 | 7/8" | 12 | 2.2 |
| 298-994 | 15/16" | 12 | 2.3 |

3/8"
Dr. Deep Socket

■ 3/8" Dr. Deep Socket – 12 Point



| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 296-520 | 8 mm | 20 | 1.2 |
| 296-521 | 9 mm | 20 | 1.2 |
| 296-522 | 10 mm | 20 | 1.2 |
| 296-523 | 11 mm | 15 | 0.9 |
| 296-524 | 12 mm | 15 | 1.0 |
| 296-525 | 13 mm | 15 | 1.0 |
| 296-526 | 14 mm | 12 | 1.0 |
| 296-527 | 15 mm | 12 | 1.2 |
| 296-528 | 16 mm | 12 | 1.2 |
| 296-529 | 17 mm | 15 | 1.8 |
| 296-530 | 18 mm | 15 | 2.0 |
| 296-531 | 19 mm | 15 | 2.0 |
| 296-532 | 21 mm | 12 | 1.9 |

| | | | |
|------------|--------|----|-----|
| SAE | | | |
| 298-683 | 1/4" | 20 | 1.1 |
| 298-684 | 5/16" | 20 | 1.1 |
| 298-685 | 3/8" | 20 | 1.1 |
| 298-686 | 7/16" | 15 | 0.8 |
| 298-687 | 1/2" | 15 | 1.1 |
| 298-688 | 9/16" | 12 | 1.0 |
| 298-689 | 5/8" | 12 | 1.1 |
| 298-690 | 11/16" | 15 | 1.8 |
| 298-691 | 3/4" | 15 | 2.1 |
| 298-692 | 13/16" | 12 | 1.8 |
| 298-693 | 7/8" | 12 | 2.2 |


3/8"

Dr. Deep Socket


■ 3/8" Dr. Spark Plug Socket

| Item No. | Size |  | KGS |
|----------|----------------|---|-----|
| 296-380 | 16 mm (5/8") | 12 | 1.2 |
| 296-381 | 21 mm (13/16") | 12 | 1.6 |


■ 3/8" Dr. Spark Plug Socket – Magnetic

| Item No. | Size |  | KGS |
|----------|----------------|---|-----|
| 296-382 | 16 mm (5/8") | 12 | 1.2 |
| 296-384 | 18 mm (23/32") | 12 | 1.8 |
| 296-383 | 21 mm (13/16") | 12 | 1.9 |


Magnetic

■ 3/8" Dr. E-Socket (For TORX® Head Screws)

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 299-731 | E6 | 10 | 0.2 |
| 299-732 | E7 | 10 | 0.2 |
| 299-733 | E8 | 10 | 0.2 |
| 299-735 | E10 | 10 | 0.2 |
| 299-736 | E11 | 10 | 0.2 |
| 299-737 | E12 | 10 | 0.2 |
| 299-739 | E14 | 10 | 0.4 |
| 299-741 | E16 | 10 | 0.5 |
| 299-743 | E18 | 10 | 0.7 |


➤ E-TORX® (Star) Socket

For open Torx® head fasteners. Greater facial contact improves torque transmission. Chamfered corners release stress and increase durability.

3/8"
Dr. Socket



■ 3/8" Dr. Bit Socket – Phillips

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 296-335 | PH1 | 50 mm | 35 | 1.4 |
| 296-336 | PH2 | 50 mm | 35 | 1.4 |
| 296-337 | PH3 | 50 mm | 35 | 1.2 |



■ 3/8" Dr. Bit Socket – Slotted

| Item No. | Size | Length |  | KGS |
|----------|---------|--------|---|-----|
| 299-151 | 4.0 mm | 50 mm | 35 | 1.4 |
| 299-158 | 5.0 mm | 50 mm | 35 | 1.4 |
| 299-153 | 5.5 mm | 50 mm | 35 | 1.4 |
| 299-159 | 6.0 mm | 50 mm | 35 | 1.4 |
| 299-154 | 6.5 mm | 50 mm | 35 | 1.4 |
| 299-155 | 7.0 mm | 50 mm | 35 | 1.4 |
| 299-156 | 8.0 mm | 50 mm | 35 | 1.7 |
| 299-157 | 10.0 mm | 50 mm | 35 | 2.1 |



■ 3/8" Dr. Bit Socket – Hex

| Item No. | Size | Length |  | KGS |
|---------------|-------|--------|---|-----|
| Metric | | | | |
| 297-965 | 3 mm | 50 mm | 35 | 1.1 |
| 297-971 | 4 mm | 50 mm | 35 | 1.1 |
| 297-972 | 5 mm | 50 mm | 35 | 1.3 |
| 297-973 | 6 mm | 50 mm | 35 | 1.3 |
| 297-974 | 7 mm | 50 mm | 35 | 1.7 |
| 297-975 | 8 mm | 50 mm | 35 | 1.7 |
| 297-976 | 10 mm | 50 mm | 35 | 1.8 |
| 297-978 | 12 mm | 50 mm | 35 | 1.9 |
| 297-979 | 14 mm | 50 mm | 35 | 2.1 |

SAE

| | | | | |
|---------|-------|-------|----|-----|
| 296-387 | 1/8" | 50 mm | 35 | 1.4 |
| 296-388 | 5/32" | 50 mm | 35 | 1.4 |
| 296-389 | 3/16" | 50 mm | 35 | 1.4 |
| 296-390 | 7/32" | 50 mm | 35 | 1.5 |
| 296-391 | 1/4" | 50 mm | 35 | 1.7 |
| 296-392 | 5/16" | 50 mm | 35 | 1.8 |

3/8"


Dr. Bit Socket


■ 3/8" Dr. Bit Socket – TORX®

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 297-140 | T-10 | 50 mm | 35 | 1.4 |
| 297-141 | T-15 | 50 mm | 35 | 1.4 |
| 297-142 | T-20 | 50 mm | 35 | 1.4 |
| 297-143 | T-25 | 50 mm | 35 | 1.4 |
| 297-144 | T-27 | 50 mm | 35 | 1.4 |
| 297-145 | T-30 | 50 mm | 35 | 1.7 |
| 297-146 | T-40 | 50 mm | 35 | 1.7 |
| 297-147 | T-45 | 50 mm | 35 | 1.7 |
| 297-148 | T-50 | 50 mm | 35 | 1.7 |

3/8"
Dr. Bit Socket

■ 3/8" Dr. Bit Socket – TORX® Tamperproof

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 297-510 | T-10 | 50 mm | 35 | 1.4 |
| 297-515 | T-15 | 50 mm | 35 | 1.4 |
| 297-520 | T-20 | 50 mm | 35 | 1.4 |
| 297-525 | T-25 | 50 mm | 35 | 1.4 |
| 297-527 | T-27 | 50 mm | 35 | 1.4 |
| 297-530 | T-30 | 50 mm | 35 | 1.7 |
| 297-540 | T-40 | 50 mm | 35 | 1.7 |
| 297-545 | T-45 | 50 mm | 35 | 1.7 |
| 297-550 | T-50 | 50 mm | 35 | 1.7 |
| 297-555 | T-55 | 50 mm | 35 | 1.6 |



■ 3/8" Dr. Bit Socket – POZIDRIV®

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-506 | PZ1 | 50 mm | 35 | 1.4 |
| 299-507 | PZ2 | 50 mm | 35 | 1.4 |
| 299-508 | PZ3 | 50 mm | 35 | 1.4 |



Plastic Hanger

3/8" Dr. Socket Set – 11 Pc.

| Item No. | |  | KGS |
|--|-----------------|---|-----|
| 287-306 | Metric, 6 Point | 1 | 0.3 |
| ● 11 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 21, 22 mm | | | |
| 287-031 | SAE, 12 Point | 1 | 0.6 |
| ● 11 Sockets : 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" | | | |



Plastic Hanger


3/8" Dr. E Socket Set

| Item No. | |  | KGS |
|--|--|---|-----|
| 287-305 | | 1 | 0.2 |
| ● 7 E Sockets : E6, E8, E10, E12, E14, E16, E18 | | | |
| 287-302 | | 1 | 0.3 |
| ● 8 E Sockets : E7, E8, E10, E11, E12, E14, E16, E18 | | | |



Plastic Hanger


3/8" Dr. Deep Socket Set


| Item No. | |  | KGS |
|---|-----------------|---|-----|
| 287-301 | Metric, 6 Point | 1 | 1.1 |
| ● 10 Deep Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 21 mm | | | |
| 287-032 | SAE, 12 Point | 1 | 1.1 |
| ● 11 Deep Sockets : 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" | | | |



Plastic Hanger


3/8" Dr. Bit Socket Set – Hex

| Item No. | |  | KGS |
|--|--------|---|-----|
| 287-310 | SAE | 1 | 0.2 |
| ● 6 Bit Sockets : Hex 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" | | | |
| 287-309 | Metric | 1 | 0.3 |
| ● 7 Bit Sockets : Hex 3, 4, 5, 6, 7, 8, 10 mm | | | |
| 287-304 | Metric | 1 | 0.4 |
| ● 8 Bit Sockets : Hex 4, 5, 6, 7, 8, 10, 12, 14 mm | | | |



Plastic Hanger

3/8" Dr. Bit Socket Set – TORX® 8 Pc.

| Item No. | |  | KGS |
|--|--|---|-----|
| 287-303 | | 1 | 0.3 |
| ● 8 Bit Sockets : TORX® T15, T20, T25, T27, T30, T40, T45, T50 | | | |

3/8"

Dr. Socket Set



Plastic Hanger



Plastic Hanger



Clip Rail



Nylon Zipper Pouch



Nylon Zipper Pouch

3/8" Dr. Bit Socket Set – Hex 10 Pc. Clip Rail

| Item No. | | KGS |
|----------|---|-----|
| 287-311 | 1 | 0.5 |

- 9 Bit Sockets : Hex 3, 4, 5, 6, 7, 8, 10, 12, 14 mm
- Quick Release Sliding T Bar : 8"

3/8" Dr. Bit Socket Set – TORX® 10 Pc. Clip Rail

| Item No. | | KGS |
|----------|---|-----|
| 287-307 | 1 | 0.6 |

- 9 Bit Sockets : TORX® Tamperproof T10, T15, T20, T27, T30, T40, T45, T50, T55
- Sliding T Bar : 8"

3/8" Dr. Bit Socket Set – 12 Pc. Clip Rail

| Item No. | | KGS |
|----------|---|-----|
| 287-308 | 1 | 0.8 |

- 10 Bit Sockets : PH1, PH2, PH3, SL4, SL5, SL6, SL8, PZ1, PZ2, PZ3
- Sliding T Bar : 8"
- Extension : 6"

3/8" Dr. Socket Set – 9 Pc.

| Item No. | | KGS |
|----------|-----------------|-----|
| 299-094 | Metric, 6 Point | 1.1 |

- 5 Sockets : 10, 12, 14, 17, 19 mm
- 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16")
- Ratchet : Round Head 8"
- Extension : 6"

3/8" Dr. T Handle Socket Set – 19 Pc.

| Item No. | | KGS |
|----------|-----------------|-----|
| 299-065 | Metric, 6 Point | 1.7 |

- 9 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19 mm
- 5 Deep Sockets : 8, 10, 12, 13, 14 mm
- Universal Joint
- 2 Extensions : 6" & 10"
- Sliding T Bar : 8"
- Spark Plug Socket : Magnetic, 16mm (5/8")

3/8"

Dr. Socket Set



Blow Mold Box

■ 3/8" Dr. Socket Set – 18 Pc.


| Item No. | |  | KGS |
|----------|------------------|---|-----|
| 299-018 | Metric, 6 Point | 1 | 1.8 |
| 287-100 | Metric, 12 Point | 1 | 1.8 |

- 11 Sockets : 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 21 mm
- Spark Plug Socket : 16 mm
- Ratchet : Quick Release 8" Round Head
- 2 Extensions : 3" & 6"
- 2-Way Handle : 8"
- 3-Function Adapter : 1/2" F x 3/8" M
- Universal Joint



Blow Mold Box

■ 3/8" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|----------|---|---|-----|
| 299-092 | Metric, 6 Point | 1 | 4.2 |
| 299-032 | Metric, 12 Point | 1 | 4.2 |
| 299-009 | Metric, 6 Point <i>Quick Release Ratchet</i> | 1 | 4.2 |
| 287-101 | Metric, 12 Point <i>Quick Release Ratchet</i> | 1 | 4.2 |

- 16 Sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm
- 9 Deep Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19 mm
- 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16")
- Ratchet : Round Head 8" / Quick Release 8" (for 299-009 & 287-101)
- 2 Extensions : 3" & 10"
- 3-Function Adapter, 1/2" F x 3/8" M
- Universal Joint



Blow Mold Box

■ 3/8" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|----------|--|---|-----|
| 299-089 | SAE, 6 Point | 1 | 4.2 |
| 287-089 | SAE, 12 Point <i>Quick Release Ratchet</i> | 1 | 4.2 |

- 16 Sockets: 1/4", 5/16", 11/32", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16"
- 9 Deep Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 2 Spark Plug Sockets: 5/8" (16 mm) & 13/16" (21 mm)
- Ratchet: Round Head 8" / Quick Release 8" (for 287-089)
- 2 Extensions: 3" & 10"
- 3-Function Adapter: 1/2" F x 3/8" M
- Universal Joint

3/8"

Dr. Socket Set



Metal Box




Metal Box




Blow Mold Box

3/8"
Dr. Socket Set
1/4" & 3/8" Dr. Socket Set – 38 Pc.

| Item No. | |  | KGS |
|--|--------------------------------------|---|------------|
| 299-028 | Metric & SAE, 6, 12 Point | 1 | 4.1 |
| <ul style="list-style-type: none"> ● 14 Sockets - 1/4" Dr. (6-Point) : <ul style="list-style-type: none"> 4, 5, 6, 7, 8, 9, 10 mm & 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8" ● 15 Sockets - 3/8" Dr. (12-Point) : <ul style="list-style-type: none"> 10, 11, 12, 13, 14, 15, 17, 19 mm & 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 1/4" Dr. Spinner : 8" ● 3/8" Dr. Universal Joint ● 3/8" Dr. Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● 3/8" Dr. Quick Release Ratchet : Pear Head 8" ● 3/8" Dr. Extensions : 3" & 6" ● 3/8" Dr. Flex Handle : 8" ● 3 Function Adapter : 3/8" F x 1/4" M | | | |

1/4" & 3/8" Dr. Socket Set – 38 Pc.

| Item No. | |  | KGS |
|--|-----------------------------------|--|------------|
| 287-028 | Metric & SAE, 12 Point | 1 | 4.1 |
| <ul style="list-style-type: none"> ● 14 Sockets - 1/4" Dr. (12-Point) : <ul style="list-style-type: none"> 4, 5, 6, 7, 8, 9, 10 mm & 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8" ● 15 Sockets - 3/8" Dr. (12-Point) : <ul style="list-style-type: none"> 10, 11, 12, 13, 14, 15, 17, 19 mm & 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 1/4" Dr. Spinner : 8" ● 3/8" Dr. Universal Joint ● 3/8" Dr. Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● 3/8" Dr. Quick Release Ratchet : Pear Head 8" ● 3/8" Dr. Extensions : 3" & 6" ● 3/8" Dr. Flex Handle : 8" ● Adapter : 3/8" F x 1/4" M | | | |

1/4" & 3/8" Dr. Socket Set – 41 Pc.

| Item No. | |  | KGS |
|--|----------------------------------|---|------------|
| 299-091 | Metric & SAE, 6 Point | 1 | 4.2 |
| <ul style="list-style-type: none"> ● 16 Sockets - 3/8" Dr. : 9, 10, 11, 12, 13, 14, 15, 17, 19 mm & 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 19 Sockets - 1/4" Dr. : 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm & 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2" ● Adapter : 3/8" F x 1/4" M ● 3/8" Dr. Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● 3/8" Dr. Extension : 3" ● 1/4" Dr. Spinner : 8" ● 3/8" Dr. Ratchet : 8" | | | |



■ Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|--------------|--|---|-----|
| 296-404 | 10" 45 Teeth | | 8 | 4.6 |



■ Quick Release Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|--------------|--|---|-----|
| 296-715 | 10" 45 Teeth | | 8 | 5.0 |



■ Quick Release Ratchet (Pear Head)

| Item No. | Size | |  | KGS |
|----------|--------------|--|---|-----|
| 297-935 | 10" 24 Teeth | | 6 | 3.7 |



■ Quick Release Ratchet (Pear Head Dual Color)

| Item No. | Size | |  | KGS |
|----------|--------------|--|---|-----|
| 297-836 | 10" 72 Teeth | | 6 | 3.7 |



■ Quick Release Ratchet (Pear Head)

| Item No. | Size | |  | KGS |
|----------|--------------|--|---|-----|
| 297-938 | 10" 72 Teeth | | 9 | 5.6 |



■ Quick Release Ratchet (Pear Head)

| Item No. | Size | |  | KGS |
|----------|--------------|--|---|-----|
| 297-937 | 10" 24 Teeth | | 6 | 3.7 |




■ Torque Wrench

| Item No. | Size | |  | KGS |
|----------|------------------|--|---|-----|
| 297-950 | 19" 30-150 ft.lb | | 1 | 1.8 |

**Blow Mold Box Packing



■ Torque Wrench

| Item No. | Size | |  | KGS |
|----------|-----------------|--|---|-----|
| 297-952 | 20" 40-200 Nt.m | | 1 | 1.5 |
| 297-951 | 23" 70-350 Nt.m | | 1 | 1.5 |
| 297-953 | 23" 60-300 Nt.m | | 1 | 1.5 |

**Blow Mold Box Packing

1/2"


Dr. Socket Accessory

1/2"
Dr. Socket Accessory

Flex Handle

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-405 | 10" | 6 | 2.9 |
| 296-415 | 15" | 6 | 4.5 |
| 296-413 | 17" | 6 | 5.1 |
| 296-409 | 24" | 3 | 4.0 |


L Handle

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-493 | 8" | 9 | 3.5 |


2-Way L Handle

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-494 | 10" | 12 | 5.4 |
| 296-495 | 12" | 12 | 5.8 |



Sliding T Bar

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-440 | 10" | 6 | 2.1 |
| 296-448 | 12" | 12 | 4.8 |


Quick Release Sliding T Bar

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-449 | 10" | 6 | 2.1 |


Extension

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-406 | 3" | 14 | 0.9 |
| 296-407 | 5" | 10 | 2.0 |
| 296-408 | 10" | 10 | 4.0 |


Wobble Extension

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 297-003 | 3" | 14 | 0.9 |
| 297-005 | 5" | 10 | 2.0 |
| 297-010 | 10" | 10 | 4.0 |



■ Quick Release Extension

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-516 | 3" | 12 | 1.8 |
| 296-517 | 5" | 6 | 1.4 |
| 296-518 | 10" | 8 | 3.2 |



■ Adapter

| Item No. | Size |  | KGS |
|----------|-----------------|---|-----|
| 296-414 | 1/2" F x 3/8" M | 20 | 1.0 |
| 298-558 | 1/2" F x 3/4" M | 10 | 1.3 |



■ Bit Adapter

| Item No. | Size |  | KGS |
|----------|--------------------------|---|-----|
| 296-126 | 1/2" Dr. x 5/16" Hex Bit | 20 | 0.9 |
| 296-226 | 1/2" Dr. x 10 mm Hex Bit | 20 | 0.9 |



■ 3-Function Adapter

| Item No. | Size |  | KGS |
|----------|-----------------|---|-----|
| 297-315 | 1/2" F x 3/8" M | 20 | 1.4 |
| 297-319 | 1/2" F x 1/2" M | 20 | 1.4 |




■ Universal Joint

| Item No. | Size |  | KGS |
|----------|--------|---|-----|
| 296-411 | 2-7/8" | 10 | 1.4 |

1/2"

Dr. Socket Accessory


1/2" Dr. Socket – 6 Point


| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 298-728 | 6 mm | 10 | 0.4 |
| 298-729 | 7 mm | 10 | 0.4 |
| 298-730 | 8 mm | 10 | 0.5 |
| 298-731 | 9 mm | 10 | 0.5 |
| 298-732 | 10 mm | 10 | 0.5 |
| 298-733 | 11 mm | 10 | 0.5 |
| 298-734 | 12 mm | 10 | 0.5 |
| 298-735 | 13 mm | 10 | 0.5 |
| 298-736 | 14 mm | 10 | 0.6 |
| 298-737 | 15 mm | 10 | 0.6 |
| 298-738 | 16 mm | 10 | 0.6 |
| 298-739 | 17 mm | 10 | 0.7 |
| 298-740 | 18 mm | 10 | 0.8 |
| 298-741 | 19 mm | 10 | 0.7 |
| 298-742 | 20 mm | 10 | 0.9 |
| 298-743 | 21 mm | 10 | 0.9 |
| 298-744 | 22 mm | 10 | 0.9 |
| 298-745 | 23 mm | 10 | 1.3 |
| 298-746 | 24 mm | 10 | 1.3 |
| 298-747 | 25 mm | 10 | 1.5 |
| 298-748 | 26 mm | 10 | 1.5 |
| 298-749 | 27 mm | 10 | 1.5 |
| 298-750 | 28 mm | 10 | 1.5 |
| 298-751 | 29 mm | 10 | 1.9 |
| 298-752 | 30 mm | 10 | 1.9 |
| 298-753 | 31 mm | 10 | 2.2 |
| 298-754 | 32 mm | 10 | 2.0 |
| 298-755 | 33 mm | 10 | 2.8 |
| 298-756 | 34 mm | 10 | 2.7 |
| 298-757 | 35 mm | 10 | 3.1 |
| 298-758 | 36 mm | 6 | 2.2 |

1/2"
Dr. Socket

■ 1/2" Dr. Socket – 6 Point



| Item No. | Size |  | KGS |
|------------|---------|---|-----|
| SAE | | | |
| 296-550 | 1/4" | 10 | 0.4 |
| 296-551 | 5/16" | 10 | 0.5 |
| 296-552 | 3/8" | 10 | 0.5 |
| 296-553 | 7/16" | 10 | 0.5 |
| 296-554 | 15/32" | 10 | 0.5 |
| 296-555 | 1/2" | 10 | 0.5 |
| 296-556 | 9/16" | 10 | 0.5 |
| 296-557 | 19/32" | 10 | 0.6 |
| 296-558 | 5/8" | 10 | 0.5 |
| 296-559 | 11/16" | 10 | 0.7 |
| 296-560 | 23/32" | 10 | 0.9 |
| 296-561 | 3/4" | 10 | 0.9 |
| 296-562 | 25/32" | 10 | 1.0 |
| 296-563 | 13/16" | 10 | 1.0 |
| 296-564 | 7/8" | 10 | 1.0 |
| 296-565 | 15/16" | 10 | 1.2 |
| 296-566 | 1" | 10 | 1.3 |
| 296-567 | 1-1/16" | 10 | 1.4 |
| 296-568 | 1-1/8" | 10 | 1.7 |
| 296-569 | 1-3/16" | 10 | 1.9 |
| 296-570 | 1-1/4" | 10 | 2.0 |

1/2"

Dr. Socket


1/2" Dr. Socket – 12 Point

1/2"
Dr. Socket

| Item No. | Size |  | KGS |
|---------------|---------|---|-----|
| Metric | | | |
| 298-780 | 8 mm | 10 | 0.5 |
| 298-781 | 9 mm | 10 | 0.5 |
| 298-782 | 10 mm | 10 | 0.5 |
| 298-783 | 11 mm | 10 | 0.5 |
| 298-784 | 12 mm | 10 | 0.5 |
| 298-785 | 13 mm | 10 | 0.5 |
| 298-786 | 14 mm | 10 | 0.6 |
| 298-787 | 15 mm | 10 | 0.6 |
| 298-788 | 16 mm | 10 | 0.6 |
| 298-789 | 17 mm | 10 | 0.7 |
| 298-790 | 18 mm | 10 | 0.8 |
| 298-791 | 19 mm | 10 | 0.7 |
| 298-792 | 20 mm | 10 | 0.9 |
| 298-793 | 21 mm | 10 | 0.9 |
| 298-794 | 22 mm | 10 | 0.9 |
| 298-795 | 23 mm | 10 | 1.3 |
| 298-796 | 24 mm | 10 | 1.3 |
| 298-797 | 25 mm | 10 | 1.5 |
| 298-798 | 26 mm | 10 | 1.5 |
| 298-799 | 27 mm | 10 | 1.5 |
| 298-800 | 28 mm | 10 | 1.5 |
| 298-801 | 29 mm | 10 | 1.9 |
| 298-802 | 30 mm | 10 | 1.9 |
| 298-804 | 31 mm | 10 | 2.0 |
| 298-803 | 32 mm | 10 | 2.0 |
| SAE | | | |
| 298-809 | 1/4" | 10 | 0.5 |
| 298-810 | 5/16" | 10 | 0.5 |
| 298-811 | 3/8" | 10 | 0.5 |
| 298-812 | 7/16" | 10 | 0.5 |
| 298-813 | 1/2" | 10 | 0.5 |
| 298-814 | 9/16" | 10 | 0.6 |
| 298-815 | 5/8" | 10 | 0.6 |
| 298-816 | 11/16" | 10 | 0.7 |
| 298-817 | 3/4" | 10 | 0.9 |
| 298-818 | 13/16" | 10 | 1.0 |
| 298-819 | 7/8" | 10 | 1.0 |
| 298-820 | 15/16" | 10 | 1.2 |
| 298-821 | 1" | 10 | 1.3 |
| 298-822 | 1-1/16" | 10 | 1.4 |
| 298-823 | 1-1/8" | 10 | 1.7 |
| 298-824 | 1-3/16" | 10 | 1.9 |
| 298-825 | 1-1/4" | 10 | 2.0 |

■ 1/2" Dr. Deep Socket – 6 Point




| Item No. | Size |  | KGS |
|---------------|---------|---|-----|
| Metric | | | |
| 296-416 | 8 mm | 12 | 1.8 |
| 296-417 | 9 mm | 12 | 1.8 |
| 296-418 | 10 mm | 12 | 1.8 |
| 296-419 | 11 mm | 12 | 1.8 |
| 296-420 | 12 mm | 12 | 1.8 |
| 296-421 | 13 mm | 12 | 1.8 |
| 296-422 | 14 mm | 12 | 1.8 |
| 296-423 | 15 mm | 12 | 1.9 |
| 296-424 | 16 mm | 12 | 1.9 |
| 296-425 | 17 mm | 15 | 3.0 |
| 296-426 | 18 mm | 12 | 2.4 |
| 296-427 | 19 mm | 12 | 3.0 |
| 296-428 | 20 mm | 12 | 3.0 |
| 296-429 | 21 mm | 12 | 3.0 |
| 296-430 | 22 mm | 6 | 1.5 |
| 296-431 | 23 mm | 10 | 3.0 |
| 296-432 | 24 mm | 10 | 3.0 |
| 296-433 | 25 mm | 6 | 2.1 |
| 296-434 | 26 mm | 6 | 2.1 |
| 296-435 | 27 mm | 6 | 2.1 |
| 296-436 | 28 mm | 6 | 2.2 |
| 296-437 | 29 mm | 6 | 2.3 |
| 296-438 | 30 mm | 6 | 2.2 |
| 296-439 | 32 mm | 6 | 2.4 |
| SAE | | | |
| 298-479 | 3/8" | 12 | 1.8 |
| 298-480 | 7/16" | 12 | 1.8 |
| 298-481 | 1/2" | 12 | 1.8 |
| 298-482 | 9/16" | 12 | 1.8 |
| 298-483 | 5/8" | 12 | 1.9 |
| 298-484 | 11/16" | 15 | 3.0 |
| 298-485 | 3/4" | 12 | 3.0 |
| 298-486 | 13/16" | 12 | 3.0 |
| 298-487 | 7/8" | 6 | 1.5 |
| 298-488 | 15/16" | 10 | 3.0 |
| 298-489 | 1" | 6 | 1.8 |
| 298-490 | 1-1/16" | 6 | 2.4 |
| 298-491 | 1-1/8" | 6 | 2.4 |
| 298-492 | 1-1/4" | 6 | 2.4 |

1/2"

Dr. Deep Socket

■ 1/2" Dr. Deep Socket – 12 Point

| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 296-716 | 8 mm | 12 | 1.8 |
| 296-717 | 9 mm | 12 | 1.8 |
| 296-718 | 10 mm | 12 | 1.8 |
| 296-719 | 11 mm | 12 | 1.8 |
| 296-720 | 12 mm | 12 | 1.8 |
| 296-721 | 13 mm | 12 | 1.8 |
| 296-722 | 14 mm | 12 | 1.8 |
| 296-723 | 15 mm | 12 | 1.9 |
| 296-724 | 16 mm | 12 | 1.9 |
| 296-725 | 17 mm | 15 | 3.0 |
| 296-726 | 18 mm | 12 | 2.4 |
| 296-727 | 19 mm | 12 | 3.0 |
| 296-728 | 20 mm | 12 | 3.0 |
| 296-729 | 21 mm | 12 | 3.0 |
| 296-730 | 22 mm | 6 | 1.5 |
| 296-731 | 23 mm | 10 | 3.0 |
| 296-732 | 24 mm | 10 | 3.0 |
| 296-733 | 25 mm | 6 | 1.8 |
| 296-734 | 26 mm | 6 | 2.4 |
| 296-735 | 27 mm | 6 | 2.4 |
| 296-736 | 28 mm | 6 | 2.4 |
| 296-737 | 29 mm | 6 | 2.3 |
| 296-738 | 30 mm | 6 | 2.4 |
| 296-739 | 32 mm | 6 | 2.4 |


1/2"
Dr. Deep Socket / Spline Socket
■ 1/2" Dr. Spline Socket

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 296-621 | M14 | 10 | 0.6 |
| 296-622 | M15 | 10 | 0.6 |
| 296-623 | M16 | 10 | 0.6 |
| 296-624 | M18 | 10 | 0.8 |
| 296-625 | M20 | 10 | 0.9 |
| 296-626 | M22 | 10 | 0.9 |
| 296-627 | M24 | 10 | 1.3 |
| 296-628 | M25 | 10 | 1.5 |
| 296-629 | M26 | 10 | 1.5 |
| 296-630 | M28 | 10 | 1.5 |
| 296-631 | M30 | 10 | 1.9 |





■ 1/2" Dr. Spark Plug Socket

| Item No. | Size |  | KGS |
|----------|----------------|---|-----|
| 296-586 | 14 mm (35/64") | 12 | 1.0 |
| 296-580 | 16 mm (5/8") | 12 | 1.0 |
| 296-585 | 18 mm (23/32") | 15 | 1.9 |
| 296-581 | 21 mm (13/16") | 12 | 1.6 |



■ 1/2" Dr. Spark Plug Socket – Magnetic


| Item No. | Size |  | KGS |
|----------|----------------|---|-----|
| 296-582 | 16 mm (5/8") | 12 | 1.3 |
| 296-584 | 18 mm (23/32") | 9 | 1.2 |
| 296-583 | 21 mm (13/16") | 12 | 1.8 |



Magnetic



■ 1/2" Dr. E-Socket (For TORX® Head Screws)

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 293-502 | E8 | 10 | 0.5 |
| 293-503 | E10 | 10 | 0.5 |
| 293-504 | E11 | 10 | 0.5 |
| 293-505 | E12 | 10 | 0.5 |
| 293-507 | E14 | 10 | 0.5 |
| 293-509 | E16 | 10 | 0.6 |
| 293-511 | E18 | 10 | 0.8 |
| 293-513 | E20 | 10 | 0.9 |
| 293-515 | E22 | 10 | 0.9 |
| 293-517 | E24 | 10 | 1.3 |

1/2"

Dr. Spark Plug Socket / E-Socket


1/2" Dr. Bit Socket – Phillips

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-102 | PH2 | 60 mm | 12 | 0.8 |
| 299-103 | PH3 | 60 mm | 12 | 0.8 |
| 299-104 | PH4 | 60 mm | 12 | 0.8 |


1/2" Dr. Bit Socket – Slotted

| Item No. | Size | Length |  | KGS |
|----------|-------|--------|---|-----|
| 299-268 | 8 mm | 60 mm | 12 | 0.7 |
| 299-270 | 10 mm | 60 mm | 12 | 1.1 |
| 299-272 | 12 mm | 60 mm | 12 | 1.2 |
| 299-274 | 14 mm | 60 mm | 12 | 1.4 |


1/2" Dr. Bit Socket – Hex

| Item No. | Size | Length |  | KGS |
|---------------|-------|--------|---|-----|
| Metric | | | | |
| 296-185 | 3 mm | 60 mm | 12 | 0.7 |
| 296-186 | 4 mm | 60 mm | 12 | 0.7 |
| 296-187 | 5 mm | 60 mm | 12 | 0.8 |
| 296-188 | 6 mm | 60 mm | 12 | 0.8 |
| 296-189 | 7 mm | 60 mm | 12 | 0.8 |
| 296-190 | 8 mm | 60 mm | 12 | 0.8 |
| 296-196 | 9 mm | 60 mm | 12 | 0.9 |
| 296-191 | 10 mm | 60 mm | 12 | 1.0 |
| 296-192 | 12 mm | 60 mm | 12 | 1.2 |
| 296-193 | 14 mm | 60 mm | 12 | 1.4 |
| 296-194 | 17 mm | 60 mm | 15 | 2.2 |
| 296-195 | 19 mm | 60 mm | 15 | 2.2 |

SAE

| | | | | |
|---------|-------|-------|----|-----|
| 299-180 | 5/16" | 60 mm | 12 | 0.8 |
| 299-181 | 3/8" | 60 mm | 12 | 1.0 |
| 299-182 | 7/16" | 60 mm | 12 | 1.2 |
| 299-183 | 1/2" | 60 mm | 12 | 1.2 |
| 299-184 | 9/16" | 60 mm | 18 | 2.1 |
| 299-185 | 5/8" | 60 mm | 15 | 2.2 |

1/2"
Dr. Bit Socket



■ 1/2" Dr. Bit Socket – TORX®

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-215 | T-20 | 60 mm | 12 | 0.8 |
| 299-216 | T-25 | 60 mm | 12 | 0.8 |
| 299-217 | T-27 | 60 mm | 12 | 0.8 |
| 299-218 | T-30 | 60 mm | 12 | 0.8 |
| 299-219 | T-40 | 60 mm | 12 | 0.9 |
| 299-230 | T-45 | 60 mm | 12 | 0.9 |
| 299-231 | T-50 | 60 mm | 12 | 0.9 |
| 299-232 | T-55 | 60 mm | 12 | 0.9 |
| 299-233 | T-60 | 60 mm | 12 | 0.9 |



■ 1/2" Dr. Bit Socket – TORX® Tamperproof

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-243 | T-20 | 60 mm | 12 | 0.8 |
| 299-244 | T-25 | 60 mm | 12 | 0.8 |
| 299-245 | T-27 | 60 mm | 12 | 0.8 |
| 299-246 | T-30 | 60 mm | 12 | 0.8 |
| 299-247 | T-40 | 60 mm | 12 | 0.9 |
| 299-248 | T-45 | 60 mm | 12 | 0.9 |
| 299-249 | T-50 | 60 mm | 12 | 0.9 |
| 299-250 | T-55 | 60 mm | 12 | 1.0 |
| 299-251 | T-60 | 60 mm | 12 | 1.0 |



■ 1/2" Dr. Bit Socket – POZIDRIV®

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-107 | PZ2 | 60 mm | 12 | 0.8 |
| 299-108 | PZ3 | 60 mm | 12 | 0.8 |
| 299-109 | PZ4 | 60 mm | 12 | 0.8 |



■ 1/2" Dr. Bit Socket – Spline

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-138 | M5 | 60 mm | 12 | 0.8 |
| 299-139 | M6 | 60 mm | 12 | 0.8 |
| 299-141 | M8 | 60 mm | 12 | 0.8 |
| 299-142 | M9 | 60 mm | 12 | 0.9 |
| 299-143 | M10 | 60 mm | 12 | 0.9 |
| 299-144 | M12 | 60 mm | 12 | 1.1 |
| 299-145 | M14 | 60 mm | 12 | 1.4 |
| 299-146 | M16 | 60 mm | 12 | 1.8 |


1/2"

Dr. Bit Socket


■ 1/2" Dr. Deep Bit Socket – Hex

| Item No. | Size | Length |  | KGS |
|----------|-------|--------|---|-----|
| 299-118 | 3 mm | 80 mm | 12 | 0.8 |
| 299-119 | 4 mm | 80 mm | 12 | 0.8 |
| 299-120 | 5 mm | 80 mm | 12 | 0.8 |
| 299-121 | 6 mm | 80 mm | 12 | 0.8 |
| 299-122 | 7 mm | 80 mm | 12 | 1.0 |
| 299-123 | 8 mm | 80 mm | 12 | 1.0 |
| 299-124 | 10 mm | 80 mm | 12 | 1.8 |
| 299-125 | 12 mm | 80 mm | 12 | 1.8 |
| 299-126 | 14 mm | 80 mm | 12 | 1.8 |
| 299-127 | 17 mm | 80 mm | 12 | 2.0 |
| 299-128 | 19 mm | 80 mm | 15 | 2.8 |


■ 1/2" Dr. Deep Bit Socket – TORX®

| Item No. | Size | Length |  | KGS |
|----------|------|--------|--|-----|
| 299-713 | T-20 | 80 mm | 12 | 1.0 |
| 299-714 | T-25 | 80 mm | 12 | 1.0 |
| 299-715 | T-27 | 80 mm | 12 | 1.2 |
| 299-716 | T-30 | 80 mm | 12 | 1.2 |
| 299-717 | T-40 | 80 mm | 12 | 1.2 |
| 299-718 | T-45 | 80 mm | 12 | 1.2 |
| 299-719 | T-50 | 80 mm | 12 | 1.2 |
| 299-720 | T-55 | 80 mm | 12 | 1.4 |
| 299-721 | T-60 | 80 mm | 12 | 1.5 |


■ 1/2" Dr. Deep Bit Socket – TORX® Tamperproof

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-163 | T-20 | 80 mm | 12 | 1.0 |
| 299-164 | T-25 | 80 mm | 12 | 1.0 |
| 299-165 | T-27 | 80 mm | 12 | 1.2 |
| 299-166 | T-30 | 80 mm | 12 | 1.2 |
| 299-167 | T-40 | 80 mm | 12 | 1.2 |
| 299-168 | T-45 | 80 mm | 12 | 1.2 |
| 299-169 | T-50 | 80 mm | 12 | 1.2 |
| 299-170 | T-55 | 80 mm | 12 | 1.4 |
| 299-171 | T-60 | 80 mm | 12 | 1.5 |

1/2"
Dr. Bit Socket



■ 1/2" Dr. Deep Bit Socket – 5 Point Star Tamperproof

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-549 | TS27 | 80 mm | 12 | 0.8 |
| 299-550 | TS30 | 80 mm | 12 | 1.0 |
| 299-551 | TS40 | 80 mm | 12 | 1.0 |
| 299-552 | TS45 | 80 mm | 12 | 1.1 |
| 299-553 | TS50 | 80 mm | 12 | 1.1 |
| 299-554 | TS55 | 80 mm | 12 | 1.1 |
| 299-555 | TS60 | 80 mm | 12 | 1.1 |



■ 1/2" Dr. Deep Bit Socket – Spline

| Item No. | Size | Length |  | KGS |
|----------|------|--------|---|-----|
| 299-541 | M8 | 100 mm | 24 | 2.1 |
| 299-542 | M9 | 100 mm | 24 | 2.5 |
| 299-543 | M10 | 100 mm | 24 | 2.5 |
| 299-544 | M12 | 100 mm | 21 | 2.7 |
| 299-545 | M14 | 100 mm | 15 | 2.5 |
| 299-546 | M16 | 100 mm | 12 | 2.8 |

1/2"

Dr. Bit Socket



Plastic Hanger



Plastic Hanger



Plastic Hanger



Plastic Hanger




Plastic Hanger



Plastic Hanger

1/2"
Dr. Socket Set
1/2" Dr. Deep Socket Set – 8 Pc. Clip Rail

| Item No. | |  | KGS |
|--|------------------------|---|-----|
| 287-408 | Metric, 6 Point | 1 | 1.3 |
| ● 8 Deep Sockets : 13, 14, 15, 17, 19, 21, 22, 24 mm | | | |
| 287-407 | SAE, 6 Point | 1 | 1.3 |
| ● 8 Deep Sockets : 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" | | | |

1/2" Dr. E Socket Set – 9 Pc. Clip Rail

| Item No. | |  | KGS |
|---|--|---|-----|
| 287-403 | | 1 | 0.7 |
| ● 9 E Sockets : E10, E11, E12, E14, E16, E18, E20, E22, E24 | | | |


1/2" Dr. Bit Socket Set – Hex 10 Pc. Clip Rail

| Item No. | |  | KGS |
|---|--|---|-----|
| 287-401 | | 1 | 1.2 |
| ● 9 Bit Sockets : Hex 5, 6, 7, 8, 10, 12, 14, 17, 19 mm | | | |
| ● Sliding T Bar : 12" | | | |


1/2" Dr. Bit Socket Set – TORX® 10 Pc. Clip Rail

| Item No. | |  | KGS |
|---|--|---|-----|
| 287-402 | | 1 | 1.2 |
| ● 9 Sockets : TORX® Tamperproof T20, T25, T27, T30, T40, T45, T50, T55, T60 | | | |
| ● Sliding T Bar : 12" | | | |

1/2" Dr. Socket Set – 10 Pc. Clip Rail

| Item No. | |  | KGS |
|---|------------------------|---|-----|
| 287-406 | Metric, 6 Point | 1 | 1.0 |
| ● 9 Sockets : 8, 9, 10, 12, 13, 14, 17, 19, 21 mm | | | |
| ● Sliding T Bar : 12" | | | |

1/2" Dr. Socket Set – 10 Pc. Plastic Hanger

| Item No. | |  | KGS |
|---|------------------------|---|-----|
| 287-404 | Metric, 6 Point | 1 | 1.2 |
| ● 9 Sockets : 10, 11, 12, 13, 14, 17, 19, 22, 24 mm | | | |
| ● Quick Release Ratchet : Pear Head Dual Color | | | |



Blow Mold Box



Blow Mold Box



Blow Mold Box



Blow Mold Box



Clip Rail



Plastic Hanger

■ 1/2" Dr. Socket Set – 10 Pc.

| Item No. | | | KGS |
|----------|------------------|---|-----|
| 299-010 | Metric, 6 Point | 1 | 1.3 |
| 299-030 | Metric, 12 Point | 1 | 1.3 |

- 8 Sockets : 8, 9, 10, 12, 14, 17, 19, 24 mm
- 2-Way L Handle : 10"
- 3-Function Adapter : 1/2" F x 1/2" M

■ 1/2" Dr. Socket Set – 11 Pc.

| Item No. | | | KGS |
|----------|-----------------|---|-----|
| 299-090 | Metric, 6 Point | 1 | 0.9 |

- 11 Sockets : 10, 11, 12, 13, 14, 15, 17, 19, 21, 24, 27 mm

■ 1/2" Dr. Socket Set – 12 Pc.

| Item No. | | | KGS |
|----------|-----------------|---|-----|
| 299-068 | Metric, 6 Point | 1 | 1.3 |

- 10 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 21 mm
- 2-Way L Handle : 10"
- 3-Function Adapter : 1/2" F x 1/2" M

■ 1/2" Dr. Deep Socket Set – 14 Pc.

| Item No. | | | KGS |
|----------|-----------------|---|-----|
| 287-010 | Metric, 6 Point | 1 | 3.0 |

- 13 Sockets : 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm
- Quick Release Ratchet : Pear Head 10"

■ 1/2" Dr. Socket Set – 15 Pc. Clip Rail

| Item No. | | | KGS |
|----------|-----------------|---|-----|
| 287-405 | Metric, 6 Point | 1 | 1.5 |

- 14 Sockets : 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- Sliding T Bar : 12"

■ 1/2" Dr. Socket Set – 15 Pc.

| Item No. | | | KGS |
|----------|--------------|---|-----|
| 287-086 | SAE, 6 Point | 1 | 1.8 |

- 15 Sockets : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/8", 1-1/8", 1-3/16", 1-1/4"

1/2"

Dr. Socket Set



Metal Box



Metal Box



Blow Mold Box



Metal Box




Metal Box

1/2" Dr. Socket Set – 16 Pc.

| Item No. | |  | KGS |
|----------|------------------|---|-----|
| 299-097 | Metric, 6 Point | 1 | 3.5 |
| 287-008 | Metric, 12 Point | 1 | 3.5 |


- 13 Sockets : 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24 mm
- Quick Release Ratchet : Pear Head 10"
- Extension : 5"
- Flex Handle : 15"

1/2" Dr. E Socket & TORX® Bit Socket Set – 16 Pc.

| Item No. | |  | KGS |
|----------|--|---|-----|
| 287-441 | | 1 | 1.8 |

- 9 E-Sockets : E10, E11, E12, E14, E16, E18, E20, E22, E24
- 7 TORX® Bit Sockets : T20, T30, T40, T45, T50, T55, T60

1/2" Dr. Socket Set – 17 Pc.

| Item No. | |  | KGS |
|----------|------------------|---|-----|
| 299-057 | Metric, 6 Point | 1 | 2.7 |
| 299-047 | Metric, 12 Point | 1 | 2.7 |


- 13 Sockets : 8, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22, 24 mm
- Quick Release Ratchet : Pear Head 10"
- 2 Extensions : 5" & 10"
- 3-Function Adapter : 1/2" F x 1/2" M

1/2" Dr. E Socket & TORX® Bit Socket Set – 18 Pc.

| Item No. | |  | KGS |
|----------|--|---|-----|
| 287-030 | | 1 | 1.9 |

- 9 E - Sockets : E10, E11, E12, E14, E16, E18, E20, E22, E24
- 9 TORX® Bit Sockets : T20, T25, T27, T30, T40, T45, T50, T55, T60

1/2" Dr. Socket Set – 18 Pc.

| Item No. | |  | KGS |
|----------|------------------|---|-----|
| 299-096 | Metric, 6 Point | 1 | 3.5 |
| 287-442 | Metric, 12 Point | 1 | 3.4 |

- 13 Sockets : 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27 mm
- Quick Release Ratchet : Round Head 10"
- Universal Joint
- Spark Plug Socket : 21mm (13/16")
- Extension : 5"
- Sliding T Bar : 10"

1/2"

Dr. Socket Set



Metal Box



Blow Mold Box




Blow Mold Box




Blow Mold Box

1/2" Dr. Socket Set – 25 Pc.

| Item No. | |  | KGS |
|----------|------------------|---|-----|
| 299-095 | Metric, 6 Point | 1 | 5.9 |
| 299-082 | Metric, 12 Point | 1 | 5.9 |


- 18 Sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- Quick Release Ratchet : Pear Head 10"
- Spark Plug Socket : 21mm (13/16")
- Universal Joint
- Sliding T Bar : 10"
- Flex Handle : 17"
- 2 Extensions : 5" & 10"

1/2" Dr. Socket Set – 25 Pc.

| Item No. | |  | KGS |
|----------|------------------|---|-----|
| 299-085 | Metric, 6 Point | 1 | 4.0 |
| 287-007 | Metric, 12 Point | 1 | 4.2 |

- 20 Sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- Sliding T Bar : 10"
- Ratchet : Round Head 10"
- 2 Extensions : 5" & 10"
- Universal Joint

1/2" Dr. Socket Set – 25 Pc.

| Item No. | |  | KGS |
|----------|------------------|---|-----|
| 299-071 | Metric, 6 Point | 1 | 4.0 |
| 299-031 | Metric, 12 Point | 1 | 4.0 |

- 20 Sockets : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- Sliding T Bar : 10"
- Quick Release Ratchet : Pear Head 10"
- 2 Extensions : 5" & 10"
- Universal Joint

1/2" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|----------|----------------------|---|-----|
| 299-023 | Metric, 6 & 12 Point | 1 | 3.5 |

- 19 Sockets - 6 Point : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 6 Sockets - 12 Point : 10, 12, 14, 15, 17, 19 mm
- 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16")
- Quick Release Ratchet : Pear Head 10"
- 2 Extensions : 5" & 10"
- 3-Function Adapter : 1/2" F x 1/2" M
- Universal Joint

1/2"

Dr. Socket Set



Blow Mold Box


1/2" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|--|---------------------------------|---|-----|
| 287-009 | Metric, 6 & 12 Point | 1 | 3.5 |
| <ul style="list-style-type: none"> ● 19 Sockets - 6 Point : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm ● 6 Sockets - 12 Point : 10, 12, 14, 15, 17, 19 mm ● 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● Quick Release Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint | | | |



Blow Mold Box

1/2" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|--|---------------------------------|---|-----|
| 299-093 | Metric, 6 & 12 Point | 1 | 3.5 |
| <ul style="list-style-type: none"> ● 19 Sockets - 6 Point : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm ● 6 Sockets - 12 Point : 10, 12, 14, 15, 17, 19 mm ● 2 Spark Plug Sockets : 16mm (5/8") & 21mm (13/16") ● Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint | | | |



Blow Mold Box

1/2" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|--|------------------------------|---|-----|
| 287-002 | SAE, 6 & 12 Point | 1 | 3.5 |
| <ul style="list-style-type: none"> ● 18 Sockets - 6 Point : 5/16", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" ● 7 Sockets - 12 Point : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 2 Spark Plug Sockets : 5/8" (16mm) & 13/16" (21mm) ● Quick Release Ratchet : Pear Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● 2-7/8" Universal Joint | | | |


1/2"

Dr. Socket Set



Blow Mold Box


■ 1/2" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|--|-------------------|---|-----|
| 299-001 | SAE, 6 & 12 Point | 1 | 3.5 |
| <ul style="list-style-type: none"> ● 18 Sockets - 6 Point : 5/16", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" ● 7 Sockets - 12 Point : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 2 Spark Plug Sockets : 5/8" (16mm) & 13/16" (21mm) ● Quick Release Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint | | | |



Blow Mold Box

■ 1/2" Dr. Socket Set – 32 Pc.

| Item No. | |  | KGS |
|--|-------------------|---|-----|
| 287-001 | SAE, 6 & 12 Point | 1 | 3.5 |
| <ul style="list-style-type: none"> ● 18 Sockets - 6 Point : 5/16", 3/8", 7/16", 15/32", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" ● 7 Sockets - 12 Point : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4" ● 2 Spark Plug Sockets : 5/8" (16mm) & 13/16" (21mm) ● Ratchet : Round Head 10" ● 2 Extensions : 5" & 10" ● 3-Function Adapter : 1/2" F x 1/2" M ● Universal Joint | | | |



Metal Box

■ 1/2" Dr. Socket Set – 40 Pc.

| Item No. | |  | KGS |
|---|------------------------|---|-----|
| 299-035 | Metric & SAE, 12 Point | 1 | 7.3 |
| <ul style="list-style-type: none"> ● 18 Sockets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 30, 32 mm ● 15 Sockets : 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4" ● Spark Plug Socket : 21mm (13/16") ● Quick Release Ratchet : Pear Head 10" ● 3 Extensions : 3" & 5" & 10" ● Flex Handle : 10" ● Universal Joint | | | |

1/2" Dr. Socket Set


1/4" & 1/2" Dr. Socket & Bit Set – 108 Pc.

| Item No. |  | KGS |
|----------|---|-----|
| 299-049 | 1 | 7.0 |

- 1/4" Dr. Sockets (13 PC.) :
 - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4" Dr. E Sockets (5 PC.) : E4, E5, E6, E7, E8
- 1/4" Dr. Deep Sockets (8 PC.) : 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1/4" Dr. Bit Sockets (18 PC.) :
 - ⊕ Phillips : PH1, PH2
 - ⊖ Slotted : 4, 5.5, 6.5 mm
 - Hex : 3, 4, 5, 6 mm
 - TORX® : T8, T10, T15, T20, T25, T27, T30
 - ⊕ POZIDRIV® : PZ1, PZ2
- 1/4" Dr. Quick Release Ratchet : 6" Pear Head
- 1/4" Dr. Spinner : 6"
- 1/4" Dr. Sliding T Bar : 4-1/2"
- 1/4" Dr. Extensions : 2" & 3"
- 1/4" Dr. Universal Joint

- 1/2" Dr. Sockets (17 PC.) :
 - 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 1/2" Dr. E Sockets (8 PC.) :
 - E10, E11, E12, E14, E16, E18, E20, E24
- 1/2" Dr. Deep Sockets (5 PC.) : 14, 15, 17, 19, 22 mm
- 1/2" Dr. Extensions : 5" & 10"
- 1/2" Dr. Quick Release Ratchet : 10" Pear Head
- 1/2" Dr. Spark Plug Sockets : 16mm & 21mm
- 1/2" Dr. Universal Joint
- 1/2" Dr. Bit Adapter : 1/2" Dr. x 5/16" Hex
- 3-Function Adapter : 3/8" F x 1/2" M

- Insert Bits (17 PC.) : 5/16" Hex
 - ⊕ Phillips : PH3, PH4
 - ⊖ Slotted : 8, 10, 12 mm
 - Hex : 6, 8, 10, 12, 14 mm
 - TORX® : T40, T45, T50, T55, T60
 - ⊕ POZIDRIV® : PZ3, PZ4
- 3 Hex Wrenches : 1.5, 2.0, 2.5 mm

ALL IN ONE


Blow Mold Box



1/2"

Dr. Socket Set



Blow Mold Box

1/4" & 3/8" & 1/2" Dr. Socket Wrench & Bit Set – 216 Pc.

| Item No. | |  | KGS |
|----------|--------|---|------|
| 299-100 | Metric | 1 | 11.5 |

- 1/4" Dr. Sockets 6 Pt. (13 PC.): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4" Dr. Deep Sockets 6 Pt. (7 PC.): 4, 5, 6, 7, 8, 9, 10 mm
- 1/4" Dr. Bit Sockets (30 PC.):
 - ⊕ Phillips : PH0, PH1, PH2
 - ⊖ Slotted : 4, 5.5, 6.5, 7 mm
 - Hex : 3, 4, 5, 6 mm
 - ⊕ TORX® : T8, T9, T10, T15, T20, T25, T27, T30
 - ⊕ TORX® Tamperproof : T8, T9, T10, T15, T20, T25, T27, T30
 - ⊕ POZIDRIV® : PZ0, PZ1, PZ2
- 1/4" Dr. E-Sockets (5 PC.): E4, E5, E6, E7, E8
- 1/4" Dr. Quick Release Ratchet : 6" Pear Head
- 1/4" Dr. Spinner : 6"
- 1/4" Dr. Sliding T Bar : 4-1/2"
- 1/4" Dr. Extensions : 2" & 4"
- Ball-Lock Socket Adapter : 1/4" Hex x 25mm L
- 1/4" Dr. Bit Adapter : 1/4" Hex
- 1/4" Dr. Universal Joint : 1-5/16"
- 3/8" Dr. Sockets 6 Pt. (10 PC.): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 3/8" Dr. Deep Sockets 6 Pt. (6 PC.): 10, 11, 12, 13, 14, 15 mm
- 3/8" Dr. Spark Plug Socket : 16 mm
- 3/8" Dr. E-Sockets (6 PC.): E10, E11, E12, E14, E16, E18
- 3/8" Dr. Quick Release Ratchet : 8" Pear Head
- 3/8" Dr. Extension : 5"
- 3/8" Dr. Bit Adapter : 1/4" Hex
- 3/8" Dr. Universal Joint
- 1/2" Dr. Sockets 6 Pt. (14 PC.): 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 1/2" Dr. Deep Sockets 6 Pt. (5 PC.): 16, 17, 18, 19, 22 mm
- 1/2" Dr. Spark Plug Sockets : 18 mm & 21 mm
- 1/2" Dr. E-Sockets (3 PC.): E20, E22, E24
- 1/2" Dr. Bit Sockets (2 PC.):
 - Hex : 14 mm
 - TORX® : T55
- 1/2" Quick Release Ratchet : 10" Pear Head
- 1/2" Dr. Extensions : 5" & 10"
- 1/2" Dr. Bit Adapter : 5/16" Hex
- 3-Function Adapter : 1/2" F x 1/2" M
- 1/2" Dr. Universal Joint
- Thin Combination Wrench 12 Pt. (12 PC.): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Hex Wrenches (7 PC.): 1.5, 2, 2.5, 3, 4, 5, 6 mm

- Magnetic Bit Holder : 4"
- Insert Bits (44 PC.): (1/4" Hex x 25mm L)
 - ⊕ Phillips : PH0, PH1, PH2, PH3
 - ⊖ Slotted : 3, 4, 5, 5.5, 6, 6.5, 7, 8 mm
 - Hex : 2, 2.5, 3, 4, 5, 6, 7, 8 mm
 - TORX® : T8, T9, T10, T15, T20, T25, T27, T30, T40, T45
 - ⊕ TORX® Tamperproof : T8, T9, T10, T15, T20, T25, T27, T30, T40, T45
 - ⊕ POZIDRIV® : PZ0, PZ1, PZ2, PZ3
- Impact Driver Bits (30 PC.): (5/16" Hex x 36mm L)
 - ⊕ Phillips : PH2, PH3, PH4
 - ⊖ Slotted : 8, 10, 12 mm
 - Hex : 5, 6, 7, 8 (2 PCS.), 10, 12, 14 mm
 - TORX® : T40, T45, T50, T55, T60
 - ⊕ TORX® Tamperproof : T40, T45, T50, T55, T60
 - ⊕ POZIDRIV® : PZ2, PZ3, PZ4
 - Spline : M10, M12
 - 5 Point Star : TS50

1/2"


Dr. Socket Set

3/4"
Dr. Socket Accessory


Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|------|----------|---|------|
| 299-302 | 20" | 43 Teeth | 5 | 12.2 |


Quick Release Ratchet (Round Head)

| Item No. | Size | |  | KGS |
|----------|------|----------|---|-----|
| 298-907 | 20" | 43 Teeth | 4 | 9.6 |


Quick Release Ratchet (Extensible)

| Item No. | Size | |  | KGS |
|----------|-------------|----------|---|-----|
| 299-300 | 20" - 32" L | 43 Teeth | 1 | 3.6 |


Quick Release Ratchet (Pear Head)

| Item No. | Size | |  | KGS |
|----------|------|----------|---|-----|
| 298-909 | 20" | 24 Teeth | 4 | 7.6 |
| 298-908 | 25" | 24 Teeth | 4 | 9.2 |


Torque Wrench

| Item No. | Size | |  | KGS |
|----------|------|--------------|---|-----|
| 297-961 | 29" | 80-400 Nt.m | 1 | 2.9 |
| 297-962 | 40" | 100-800 Nt.m | 1 | 3.3 |

****Blow Mold Box Packing**

Torque Wrench

| Item No. | Size | |  | KGS |
|----------|------|--------------|---|-----|
| 297-966 | 33" | 80-400 ft.lb | 1 | 2.9 |

****Blow Mold Box Packing**

Flex Handle

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 299-303 | 18" | | 5 | 9.0 |
| 299-310 | 20" | | 3 | 5.9 |
| 299-312 | 24" | | 2 | 4.6 |


Quick Release Flex Handle

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 299-370 | 20" | | 3 | 6.1 |


L Handle

| Item No. | Size | |  | KGS |
|----------|------|--|---|------|
| 299-315 | 18" | | 6 | 11.2 |
| 299-313 | 24" | | 6 | 15.0 |



■ Sliding T Bar

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 299-304 | 18" | 4 | 5.6 |
| 299-305 | 20" | 4 | 5.7 |



■ Quick Release Sliding T Bar

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 299-301 | 18" | 4 | 5.6 |
| 299-311 | 20" | 4 | 6.0 |



■ Extension

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 299-306 | 4" | 6 | 2.4 |
| 299-309 | 6" | 6 | 3.6 |
| 299-307 | 8" | 4 | 3.2 |
| 299-308 | 16" | 4 | 6.4 |



■ Quick Release Extension

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 299-356 | 4" | 6 | 2.4 |
| 299-357 | 8" | 4 | 2.9 |
| 299-358 | 16" | 4 | 5.6 |



■ Adapter

| Item No. | Size |  | KGS |
|----------|-----------------|---|-----|
| 299-909 | 3/4" F x 1/2" M | 10 | 1.9 |




■ Universal Joint

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 299-911 | 4" | 6 | 3.4 |

3/4"

Dr. Socket Accessory


3/4" Dr. Socket – 6 Point


| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 299-317 | 17 mm | 10 | 2.1 |
| 299-318 | 18 mm | 10 | 2.1 |
| 299-319 | 19 mm | 10 | 2.2 |
| 299-320 | 20 mm | 10 | 2.2 |
| 299-321 | 21 mm | 10 | 2.2 |
| 299-322 | 22 mm | 10 | 2.1 |
| 299-323 | 23 mm | 10 | 2.2 |
| 299-324 | 24 mm | 10 | 2.2 |
| 299-325 | 25 mm | 10 | 2.2 |
| 299-326 | 26 mm | 10 | 2.2 |
| 299-327 | 27 mm | 10 | 2.2 |
| 299-328 | 28 mm | 10 | 2.6 |
| 299-329 | 29 mm | 6 | 1.6 |
| 299-330 | 30 mm | 6 | 1.7 |
| 299-331 | 31 mm | 6 | 1.7 |
| 299-332 | 32 mm | 6 | 1.7 |
| 299-333 | 33 mm | 6 | 2.0 |
| 299-334 | 34 mm | 6 | 2.0 |
| 299-335 | 35 mm | 6 | 2.4 |
| 299-336 | 36 mm | 6 | 2.5 |
| 299-337 | 37 mm | 6 | 2.9 |
| 299-338 | 38 mm | 6 | 3.0 |
| 299-339 | 39 mm | 6 | 3.0 |
| 299-340 | 40 mm | 6 | 3.1 |
| 299-341 | 41 mm | 2 | 1.1 |
| 299-342 | 42 mm | 2 | 1.1 |
| 299-343 | 43 mm | 2 | 1.2 |
| 299-344 | 44 mm | 2 | 1.2 |
| 299-345 | 45 mm | 2 | 1.2 |
| 299-346 | 46 mm | 2 | 1.4 |
| 299-347 | 47 mm | 2 | 1.4 |
| 299-348 | 48 mm | 2 | 1.5 |
| 299-350 | 50 mm | 2 | 1.6 |
| 299-354 | 54 mm | 2 | 1.8 |
| 299-355 | 55 mm | 2 | 1.9 |
| 299-256 | 56 mm | 2 | 2.0 |
| 299-360 | 60 mm | 2 | 2.1 |
| 299-363 | 63 mm | 1 | 1.2 |
| 299-365 | 65 mm | 1 | 1.4 |

3/4"
Dr. Socket

■ 3/4" Dr. Socket – 6 Point




| Item No. | Size |  | KGS |
|------------|----------|---|-----|
| SAE | | | |
| 299-661 | 3/4" | 10 | 2.2 |
| 299-662 | 13/16" | 10 | 2.2 |
| 299-663 | 7/8" | 10 | 2.2 |
| 299-664 | 15/16" | 10 | 2.2 |
| 299-665 | 1" | 10 | 2.2 |
| 299-666 | 1-1/16" | 10 | 2.2 |
| 299-667 | 1-1/8" | 10 | 3.0 |
| 299-668 | 1-3/16" | 6 | 1.8 |
| 299-669 | 1-1/4" | 6 | 1.8 |
| 299-670 | 1-5/16" | 6 | 1.9 |
| 299-671 | 1-3/8" | 6 | 2.4 |
| 299-672 | 1-7/16" | 6 | 2.4 |
| 299-673 | 1-1/2" | 6 | 3.0 |
| 299-674 | 1-9/16" | 6 | 3.0 |
| 299-675 | 1-5/8" | 2 | 1.1 |
| 299-676 | 1-11/16" | 2 | 1.1 |
| 299-677 | 1-3/4" | 2 | 1.2 |
| 299-678 | 1-13/16" | 2 | 1.4 |
| 299-679 | 1-7/8" | 2 | 1.5 |
| 299-680 | 2" | 2 | 1.5 |
| 299-681 | 2-1/4" | 1 | 1.0 |
| 299-682 | 2-3/8" | 1 | 1.1 |
| 299-683 | 2-1/2" | 1 | 1.2 |
| 299-684 | 2-3/4" | 1 | 1.6 |

3/4"

Dr. Socket

3/4" Dr. Socket – 12 Point

3/4"
Dr. Socket

| Item No. | Size |  | KGS |
|----------|------|---|-----|
|----------|------|---|-----|

Metric

| | | | |
|---------|-------|----|-----|
| 293-317 | 17 mm | 10 | 2.2 |
| 293-319 | 19 mm | 10 | 2.2 |
| 293-320 | 20 mm | 10 | 2.2 |
| 293-321 | 21 mm | 10 | 2.2 |
| 293-322 | 22 mm | 10 | 2.2 |
| 293-323 | 23 mm | 10 | 2.2 |
| 293-324 | 24 mm | 10 | 2.2 |
| 293-325 | 25 mm | 10 | 2.2 |
| 293-326 | 26 mm | 10 | 2.2 |
| 293-327 | 27 mm | 10 | 2.2 |
| 293-328 | 28 mm | 10 | 2.2 |
| 293-329 | 29 mm | 6 | 1.6 |
| 293-330 | 30 mm | 6 | 1.7 |
| 293-331 | 31 mm | 6 | 1.7 |
| 293-332 | 32 mm | 6 | 1.7 |
| 293-333 | 33 mm | 6 | 2.1 |
| 293-334 | 34 mm | 6 | 2.1 |
| 293-335 | 35 mm | 6 | 2.4 |
| 293-336 | 36 mm | 6 | 2.5 |
| 293-337 | 37 mm | 6 | 3.0 |
| 293-338 | 38 mm | 6 | 3.0 |
| 293-340 | 40 mm | 6 | 3.2 |
| 293-341 | 41 mm | 2 | 1.1 |
| 293-346 | 46 mm | 2 | 1.1 |
| 293-350 | 50 mm | 2 | 1.5 |
| 293-355 | 55 mm | 2 | 1.9 |


SAE

| | | | |
|---------|----------|----|-----|
| 293-661 | 3/4" | 10 | 2.2 |
| 293-662 | 13/16" | 10 | 2.2 |
| 293-663 | 7/8" | 10 | 2.2 |
| 293-664 | 15/16" | 10 | 2.2 |
| 293-665 | 1" | 10 | 2.2 |
| 293-666 | 1-1/16" | 10 | 2.2 |
| 293-667 | 1-1/8" | 10 | 3.0 |
| 293-668 | 1-3/16" | 6 | 1.8 |
| 293-669 | 1-1/4" | 6 | 1.8 |
| 293-670 | 1-5/16" | 6 | 1.9 |
| 293-671 | 1-3/8" | 6 | 2.4 |
| 293-672 | 1-7/16" | 6 | 2.4 |
| 293-673 | 1-1/2" | 6 | 3.0 |
| 293-674 | 1-9/16" | 6 | 3.0 |
| 293-675 | 1-5/8" | 2 | 1.0 |
| 293-676 | 1-11/16" | 2 | 1.1 |
| 293-677 | 1-3/4" | 2 | 1.2 |
| 293-678 | 1-13/16" | 2 | 1.4 |
| 293-679 | 1-7/8" | 2 | 1.5 |
| 293-680 | 2" | 2 | 1.6 |
| 293-684 | 2-1/4" | 1 | 1.1 |



Blow Mold Box

■ 3/4" Dr. Socket Set – 14 Pc.


| Item No. | |  | KGS |
|----------|------------------|---|------|
| 299-012 | Metric, 6 Point | 1 | 11.6 |
| 299-014 | Metric, 12 Point | 1 | 11.6 |

- 10 Sockets : 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- Sliding T Bar : 18"
- Quick Release Ratchet : Round Head 20"
- 2 Extensions : 4" & 8"



Blow Mold Box

■ 3/4" Dr. Socket Set – 14 Pc.


| Item No. | |  | KGS |
|----------|---------------|---|------|
| 299-073 | SAE, 6 Point | 1 | 11.6 |
| 299-075 | SAE, 12 Point | 1 | 11.6 |

- 10 Sockets : 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 2"
- Sliding T Bar : 18"
- Quick Release Ratchet : Round Head 20"
- 2 Extensions : Quick Release 4" & 8"



Blow Mold Box

■ 3/4" Dr. Socket Set – 14 Pc.


| Item No. | |  | KGS |
|----------|------------------|---|------|
| 299-072 | Metric, 6 Point | 1 | 11.6 |
| 299-074 | Metric, 12 Point | 1 | 11.6 |

- 10 Sockets : 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- Sliding T Bar : Quick Release, 18"
- Quick Release Ratchet : Round Head 20"
- 2 Extensions : Quick Release 4" & 8"



Blow Mold Box

■ 3/4" Dr. Socket Set – 21 Pc.

| Item No. | |  | KGS |
|----------|------------------|---|------|
| 299-076 | Metric, 6 Point | 1 | 16.5 |
| 299-078 | Metric, 12 Point | 1 | 16.5 |

- 16 Sockets : 19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm
- Quick Release Ratchet : Round Head 20"
- Quick Release Flex Handle : 20"
- 2 Extensions : Quick Release 8" & 16"
- Universal Joint


3/4"

Dr. Socket Set



Metal Box

3/4" Dr. Socket Set – 21 Pc.


| Item No. | |  | KGS |
|----------|------------------|---|------|
| 299-086 | Metric, 6 Point | 1 | 15.0 |
| 287-004 | Metric, 12 Point | 1 | 15.0 |

- 16 Sockets : 17, 19, 21, 22, 23, 24, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50 mm
- 3 Extensions : 4" & 8" & 16"
- Quick Release Ratchet : Round Head 20"
- Sliding T Bar : 20"



Metal Box

3/4" Dr. Socket Set – 21 Pc.


| Item No. | |  | KGS |
|----------|---------------|---|------|
| 287-003 | SAE, 6 Point | 1 | 15.0 |
| 299-087 | SAE, 12 Point | 1 | 15.0 |

- 16 Sockets : 3/4", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-3/4", 2"
- 3 Extensions : 4" & 8" & 16"
- Quick Release Ratchet : Round Head 20"
- Sliding T Bar : 20"



Metal Box

3/4" Dr. Socket Set – 26 Pc.

| Item No. | |  | KGS |
|----------|------------------------|---|------|
| 299-033 | Metric & SAE, 12 Point | 1 | 22.3 |

- 12 Sockets : 7/8", 15/16", 1", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-5/8", 1-3/4", 1-7/8", 2"
- 10 Sockets : 22, 24, 27, 30, 32, 36, 38, 41, 46, 50 mm
- Quick Release Ratchet : Pear Head 20"
- 2 Extensions : 4" & 8"
- Flex Handle : 18"

3/4"

Dr. Socket Set



Quick Release Ratchet (Extensible)

| Item No. | Size | |  | KGS |
|----------|----------------------|--|---|-----|
| 291-801 | 20" - 32" L 43 Teeth | | 1 | 3.6 |
| 291-802 | 28" - 40" L 43 Teeth | | 1 | 4.2 |



Ratchet Handle

| Item No. | Size | |  | KGS |
|----------|--------------|--|---|-----|
| 291-803 | 26" 43 Teeth | | 1 | 4.4 |



Torque Wrench

| Item No. | Size | |  | KGS |
|----------|----------------------------------|--|---|-----|
| 297-970 | 48" 140-980 Nt.m (103-722 ft.lb) | | 1 | 7.3 |

**Blow Mold Box Packing



Flex Handle

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 291-805 | 26" | | 1 | 4.3 |



L Handle

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 291-811 | 26" | | 1 | 5.3 |



Sliding T Bar

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 296-379 | 22" | | 2 | 5.0 |



Extension

| Item No. | Size | |  | KGS |
|----------|------|--|---|-----|
| 296-373 | 8" | | 2 | 2.9 |
| 291-807 | 16" | | 3 | 8.9 |




Adapter


| Item No. | Size | |  | KGS |
|----------|---------------|--|---|-----|
| 291-812 | 1" F x 3/4" M | | 8 | 3.7 |



3-Function Adapter

| Item No. | Size | |  | KGS |
|----------|-------------|--|---|-----|
| 291-813 | 1" F x 1" M | | 6 | 2.4 |

1" Dr. Socket – 6 Point


| Item No. | Size |  | KGS |
|---------------|-------|---|-----|
| Metric | | | |
| 291-836 | 36 mm | 6 | 2.8 |
| 291-838 | 38 mm | 6 | 3.1 |
| 291-841 | 41 mm | 1 | 0.7 |
| 291-846 | 46 mm | 1 | 0.8 |
| 291-850 | 50 mm | 1 | 1.0 |
| 291-854 | 54 mm | 1 | 1.1 |
| 291-855 | 55 mm | 1 | 1.1 |
| 291-858 | 58 mm | 1 | 1.1 |
| 291-860 | 60 mm | 1 | 1.2 |
| 291-863 | 63 mm | 1 | 1.5 |
| 291-865 | 65 mm | 1 | 1.6 |
| 291-867 | 67 mm | 1 | 1.8 |
| 291-870 | 70 mm | 1 | 2.0 |
| 291-871 | 71 mm | 1 | 2.0 |
| 291-875 | 75 mm | 1 | 2.2 |
| 291-877 | 77 mm | 1 | 2.3 |
| 291-880 | 80 mm | 1 | 2.5 |

1"
Dr. Socket



■ L Handle Socket – 6 Point

| Item No. | Size | Length |  | KGS |
|----------|-------|--------|---|-----|
| 294-571 | 8 mm | 6" | 1 | 0.1 |
| 294-572 | 10 mm | 6" | 1 | 0.1 |



■ T Handle Spark Plug Socket

| Item No. | Size | Length |  | KGS |
|----------|-------|---------|---|-----|
| 294-576 | 16 mm | 13-1/2" | 6 | 2.1 |
| 294-578 | 21 mm | 13-1/2" | 6 | 2.5 |



■ T Handle Spark Plug Socket

| Item No. | Size | Length |  | KGS |
|----------|-------|--------|---|-----|
| 295-836 | 16 mm | 9-1/2" | 12 | 3.7 |
| 295-831 | 21 mm | 9-1/2" | 12 | 3.7 |




■ T Handle Magnetic Spark Plug Socket

| Item No. | Size | Length |  | KGS |
|----------|-------|--------------|---|-----|
| 294-556 | 16 mm | 200 x 450 mm | 1 | 0.4 |
| 294-558 | 18 mm | 200 x 450 mm | 1 | 0.5 |
| 294-560 | 21 mm | 200 x 450 mm | 1 | 0.5 |



■ T Handle Swivel Socket (Long) – 6 Point


| Item No. | Size | Length |  | KGS |
|----------|-------|--------------|---|-----|
| 294-541 | 8 mm | 200 x 600 mm | 1 | 0.5 |
| 294-542 | 10 mm | 200 x 600 mm | 1 | 0.5 |
| 294-543 | 12 mm | 200 x 600 mm | 1 | 0.5 |
| 294-544 | 14 mm | 200 x 600 mm | 1 | 0.5 |
| 294-545 | 17 mm | 200 x 600 mm | 1 | 0.5 |
| 294-546 | 19 mm | 200 x 600 mm | 1 | 0.5 |



■ T Handle Deep Socket – 6 Point

| Item No. | Size | Length |  | KGS |
|----------|-------|--------------|---|-----|
| 294-561 | 8 mm | 200 x 300 mm | 1 | 0.3 |
| 294-562 | 10 mm | 200 x 300 mm | 1 | 0.3 |
| 294-563 | 12 mm | 200 x 300 mm | 1 | 0.3 |
| 294-567 | 13 mm | 200 x 300 mm | 1 | 0.3 |
| 294-564 | 14 mm | 200 x 300 mm | 1 | 0.3 |
| 294-565 | 17 mm | 250 x 300 mm | 1 | 0.3 |
| 294-566 | 19 mm | 250 x 300 mm | 1 | 0.3 |



T Handle Standard Socket – 6 Point

| Item No. | Size | Length |  | KGS |
|----------|-------|--------------|---|-----|
| 294-521 | 8 mm | 200 x 250 mm | 1 | 0.1 |
| 294-522 | 10 mm | 200 x 250 mm | 1 | 0.2 |
| 294-523 | 12 mm | 250 x 300 mm | 1 | 0.4 |
| 294-524 | 14 mm | 250 x 300 mm | 1 | 0.4 |
| 294-525 | 17 mm | 250 x 300 mm | 1 | 0.5 |


T Handle Socket

| Item No. | Size | Length |  | KGS |
|----------------|------|--------------|---|-----|
| Slotted | | | | |
| 294-668 | 8 mm | 180 x 250 mm | 1 | 0.1 |


T Handle Socket

| Item No. | Size | Length |  | KGS |
|-----------------|------|--------------|---|-----|
| Phillips | | | | |
| 294-653 | PH3 | 180 x 250 mm | 1 | 0.1 |


Automotive Wheel Wrench

| Item No. |  | KGS |
|----------|---|-----|
| 299-002 | 1 | 1.0 |

- 1/2" Drive L-handle With Comfortable Grip
- Extends to 500 mm To Increase Torque
- Double-end Socket, 19 & 21 mm
- Cr-V Steel
- Space Saving Design