



GESTAR®

The Solution!



SCREWDRIVER

Screwdriver Set /
Non-Slip Power / Mechanical

⊖ Slotted




⊕ Phillips



Impact Hex Bolster Screwdriver

| Item No. | Slotted | Length |  | KGS |
|----------------|---------|----------|---|-----|
| Slotted | | | | |
| 546-101 | 5.0mm | 75 mm L | 12 | 0.9 |
| 546-102 | 5.0mm | 100 mm L | 12 | 0.9 |
| 546-113 | 5.0mm | 125 mm L | 12 | 1.1 |
| 546-105 | 6.0mm | 100 mm L | 12 | 1.1 |
| 546-106 | 6.0mm | 150 mm L | 12 | 1.2 |
| 546-110 | 8.0mm | 150 mm L | 12 | 2.0 |
| 546-111 | 8.0mm | 200 mm L | 12 | 2.2 |

Impact Hex Bolster Screwdriver

| Item No. | Phillips | Length |  | KGS |
|-----------------|----------|----------|---|-----|
| Phillips | | | | |
| 546-121 | PH 1 | 75 mm L | 12 | 0.9 |
| 546-122 | PH 1 | 100 mm L | 12 | 0.9 |
| 546-123 | PH 1 | 125 mm L | 12 | 1.1 |
| 546-125 | PH 2 | 100 mm L | 12 | 1.1 |
| 546-126 | PH 2 | 150 mm L | 12 | 1.2 |
| 546-130 | PH 3 | 150 mm L | 12 | 2.0 |
| 546-131 | PH 3 | 200 mm L | 12 | 2.2 |

4 Pc. Impact Hex Bolster Screwdriver Set

| Item No. |  | KGS |
|--|---|-----|
| 546-904 | 1 | 0.5 |
| ⊖ Slotted : 5.0 x 75mm L, 6.0 x 150mm L | | |
| ⊕ Phillips : PH 1 x 75mm L, PH 2 x 100mm L | | |


6 Pc. Impact Hex Bolster Screwdriver Set


| Item No. |  | KGS |
|---|---|-----|
| 546-906 | 1 | 0.6 |
| ⊖ Slotted : 5.0 x 75mm L, 5.0 x 125mm L, 6.0 x 100mm L, 6.0 x 150mm L | | |
| ⊕ Phillips : PH 1 x 75mm L, PH 2 x 100mm L | | |

8 Pc. Impact Hex Bolster Screwdriver Set


| Item No. |  | KGS |
|---|---|-----|
| 546-901 | 1 | 1.1 |
| ⊖ Slotted : 6.0 x 100mm L, 6.0 x 150mm L, 8.0 x 150mm L, 8.0 x 200mm L | | |
| ⊕ Phillips : 6.0 x 100mm L, 6.0 x 150mm L, 8.0 x 150mm L, 8.0 x 200mm L | | |


■ Non-Slip Power Screwdriver

| Item No. | Slotted | Length |  | KGS |
|----------------|---------|---------|---|-----|
| Slotted | | | | |
| 546-001 | 3.2mm | 75mm L | 12 | 0.4 |
| 546-002 | 3.2mm | 100mm L | 12 | 0.5 |
| 546-003 | 4.0mm | 100mm L | 12 | 0.5 |
| 546-004 | 4.0mm | 150mm L | 12 | 0.6 |
| 546-005 | 4.0mm | 200mm L | 12 | 0.6 |
| 546-031 | 5.0mm | 75mm L | 24 | 1.7 |
| 546-006 | 5.0mm | 100mm L | 24 | 1.8 |
| 546-033 | 5.0mm | 125mm L | 12 | 0.9 |
| 546-007 | 5.0mm | 150mm L | 24 | 2.0 |
| 546-008 | 5.0mm | 200mm L | 12 | 1.1 |
| 546-009 | 6.0mm | 100mm L | 24 | 2.1 |
| 546-010 | 6.0mm | 150mm L | 24 | 2.5 |
| 546-011 | 6.0mm | 200mm L | 12 | 1.4 |
| 546-038 | 6.0mm | 300mm L | 6 | 1.0 |
| 546-012 | 8.0mm | 150mm L | 12 | 2.0 |
| 546-013 | 8.0mm | 200mm L | 12 | 2.2 |
| 546-014 | 8.0mm | 250mm L | 6 | 1.2 |
| 546-143 | 10.0mm | 300mm L | 12 | 3.7 |



■ Non-Slip Power Screwdriver

| Item No. | Phillips | Length |  | KGS |
|-----------------|----------|---------|---|-----|
| Phillips | | | | |
| 546-015 | PH 0 | 75mm L | 12 | 0.4 |
| 546-016 | PH 0 | 100mm L | 12 | 0.5 |
| 546-017 | PH 0 | 100mm L | 12 | 0.5 |
| 546-018 | PH 0 | 150mm L | 12 | 0.6 |
| 546-019 | PH 0 | 200mm L | 12 | 0.6 |
| 546-032 | PH 1 | 75mm L | 24 | 1.7 |
| 546-020 | PH 1 | 100mm L | 24 | 1.8 |
| 546-021 | PH 1 | 150mm L | 24 | 2.0 |
| 546-022 | PH 1 | 200mm L | 12 | 1.1 |
| 546-023 | PH 2 | 100mm L | 24 | 2.1 |
| 546-024 | PH 2 | 150mm L | 24 | 2.5 |
| 546-025 | PH 2 | 200mm L | 12 | 1.4 |
| 546-029 | PH 2 | 250mm L | 6 | 0.7 |
| 546-037 | PH 2 | 300mm L | 6 | 1.0 |
| 546-026 | PH 3 | 150mm L | 12 | 2.0 |
| 546-027 | PH 3 | 200mm L | 12 | 2.2 |
| 546-028 | PH 3 | 250mm L | 6 | 1.2 |



Cushion Grip Non-Slip Power Screwdriver

 TORX® Tamperproof

■ Non-Slip Power Screwdriver

| Item No. | TORX® Tamperproof | Length |  | KGS |
|----------|-------------------|--------|---|-----|
|----------|-------------------|--------|---|-----|

TORX® Tamperproof

| | | | | |
|---------|-----|----------|----|-----|
| 546-360 | T6 | 75 mm L | 12 | 0.5 |
| 546-361 | T7 | 75 mm L | 12 | 0.5 |
| 546-362 | T8 | 75 mm L | 12 | 0.5 |
| 546-363 | T9 | 75 mm L | 12 | 0.5 |
| 546-364 | T10 | 100 mm L | 12 | 0.5 |
| 546-365 | T15 | 100 mm L | 12 | 0.5 |
| 546-366 | T20 | 100 mm L | 12 | 0.5 |
| 546-367 | T25 | 100 mm L | 12 | 0.5 |
| 546-368 | T27 | 100 mm L | 12 | 0.6 |
| 546-369 | T30 | 100 mm L | 12 | 0.6 |
| 546-370 | T40 | 100 mm L | 12 | 0.6 |


 Slotted

■ Non-Slip Stubby Screwdriver

| Item No. | Slotted | Length |  | KGS |
|----------|---------|--------|---|-----|
|----------|---------|--------|---|-----|

Slotted

| | | | | |
|---------|------|---------|----|-----|
| 546-652 | 6 mm | 38 mm L | 24 | 0.9 |
|---------|------|---------|----|-----|

 Phillips

■ Non-Slip Stubby Screwdriver

| Item No. | Phillips | Length |  | KGS |
|----------|----------|--------|---|-----|
|----------|----------|--------|---|-----|

Phillips

| | | | | |
|---------|------|---------|----|-----|
| 546-651 | PH 2 | 38 mm L | 24 | 0.9 |
|---------|------|---------|----|-----|



Ratchet Screwdriver Handle

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 546-601 | 2" | 6 | 1.1 |




Flexible Ratchet Screwdriver Handle

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 546-603 | 1" | 4 | 1.2 |




Magnetic Bit Holder

| Item No. | Size |  | KGS |
|----------|------|---|-----|
| 546-500 | 4" | 12 | 1.2 |



4-Way Screwdriver Set

| Item No. |  | KGS |
|--|---|-----|
| 546-505 | 6 | 1.1 |
| <ul style="list-style-type: none"> ⊕ PH1 x ⊖ 5mm 150mm L ⊕ PH2 x ⊖ 6mm 150mm L | | |




8 Pc. Non-Slip Power Screwdriver Set

| Item No. |  | KGS |
|---|---|-----|
| 546-900 | 1 | 0.8 |
| <ul style="list-style-type: none"> ⊖ Slotted : 3.2 x 75mm L, 5.0 x 100mm L, 6.0 x 150mm L, 8.0 x 150mm L ⊕ Phillips : PH0 x 75mm L, PH1 x 100mm L, PH2 x 150mm L, PH3 x 150mm L | | |




8 Pc. Electronic Screwdriver Set 14 in 1

| Item No. |  | KGS |
|---|---|-----|
| 448-113 | 1 | 0.1 |
| <ul style="list-style-type: none"> ● Comfortable Grip Handle with Rotating Cap ● 120mm Adjustable, Reversible & Interchangeable Blades <ul style="list-style-type: none"> ⊖ Slotted : 2mm, 3mm, 4mm ⊕ Phillips : PH00, PH0, PH1 ⊕ TORX® Tamperproof : T5, T6, T7, T8, T9, T10, T15, T20 | | |

Hex



Precision Screwdriver

| Item No. | Hex | Length |  | KGS |
|----------|-------|---------|---|-----|
| 546-070 | H 1.5 | 75 mm L | 16 | 0.3 |
| 546-072 | H 2.5 | 75 mm L | 16 | 0.3 |

Hex

TORX® Tamperproof



Precision Screwdriver

| Item No. | TORX® Tamperproof | Length |  | KGS |
|----------|-------------------|---------|---|-----|
| 546-081 | T5 | 75 mm L | 16 | 0.3 |

TORX® Tamperproof



6 Pc. Precision Screwdriver Set

| Item No. |  | KGS |
|----------|---|-----|
| 546-091 | 1 | 0.3 |

● Slotted : 1.5 x 50mm L, 2.0 x 50mm L, 2.4 x 50mm L, 3.0 x 50mm L
 ⊕ Phillips : PH00 x 50mm L, PH0 x 50mm L



6 Pc. Precision Screwdriver Set

| Item No. |  | KGS |
|----------|---|-----|
| 546-092 | 1 | 0.4 |

⊕ TORX® Tamperproof : T5 x 60mm L, T6 x 60mm L, T7 x 60mm L, T8 x 60mm L, T9 x 60mm L, T10 x 60mm L




12 in 1 Precision Screwdriver Set


| Item No. |  | KGS |
|----------|---|-----|
| 448-112 | 1 | 0.4 |

- Comfortable Grip Handle with Rotating Cap
- 120mm Adjustable, Reversible & Interchangeable Blades
 - Slotted : 2mm, 3mm, 4mm
 - ⊕ Phillips : PH00, PH0, PH1
 - ⊕ TORX® Tamperproof : T5, T6, T8, T10, T15, T20


■ Mechanical Screwdriver

| Item No. | Slotted | Length |  | KGS |
|----------------|---------|---------|---|-----|
| Slotted | | | | |
| 546-501 | 3.2mm | 50mm L | 12 | 0.2 |
| 546-502 | 3.2mm | 75mm L | 12 | 0.2 |
| 546-503 | 3.2mm | 100mm L | 12 | 0.2 |
| 546-504 | 4.0mm | 75mm L | 12 | 0.3 |
| 546-575 | 4.0mm | 100mm L | 12 | 0.3 |
| 546-506 | 4.0mm | 150mm L | 12 | 0.3 |
| 546-507 | 4.0mm | 200mm L | 24 | 0.8 |
| 546-508 | 4.0mm | 250mm L | 12 | 0.5 |
| 546-509 | 4.0mm | 300mm L | 12 | 0.5 |
| 546-511 | 5.0mm | 75mm L | 12 | 0.6 |
| 546-512 | 5.0mm | 100mm L | 12 | 0.6 |
| 546-513 | 5.0mm | 150mm L | 12 | 0.7 |
| 546-514 | 5.0mm | 200mm L | 12 | 0.8 |
| 546-515 | 5.0mm | 250mm L | 12 | 0.9 |
| 546-516 | 5.0mm | 300mm L | 12 | 1.0 |
| 546-521 | 6.0mm | 38mm L | 12 | 0.5 |
| 546-522 | 6.0mm | 100mm L | 12 | 0.9 |
| 546-523 | 6.0mm | 125mm L | 12 | 0.9 |
| 546-524 | 6.0mm | 150mm L | 12 | 1.0 |
| 546-525 | 6.0mm | 200mm L | 12 | 1.1 |
| 546-526 | 6.0mm | 250mm L | 12 | 1.3 |
| 546-527 | 6.0mm | 300mm L | 12 | 1.4 |
| 546-528 | 8.0mm | 150mm L | 12 | 1.8 |
| 546-529 | 8.0mm | 200mm L | 12 | 1.8 |
| 546-530 | 8.0mm | 250mm L | 12 | 2.2 |
| 546-531 | 8.0mm | 300mm L | 12 | 2.4 |

 Slotted




■ Mechanical Screwdriver

| Item No. | Phillips | Length |  | KGS |
|-----------------|----------|----------|---|-----|
| Phillips | | | | |
| 546-541 | PH 0 | 50 mm L | 12 | 0.2 |
| 546-542 | PH 0 | 75 mm L | 12 | 0.2 |
| 546-543 | PH 0 | 100 mm L | 12 | 0.2 |
| 546-544 | PH 0 | 75 mm L | 12 | 0.3 |
| 546-545 | PH 0 | 100 mm L | 12 | 0.3 |
| 546-546 | PH 0 | 150 mm L | 12 | 0.3 |
| 546-547 | PH 0 | 200 mm L | 24 | 0.8 |
| 546-548 | PH 0 | 250 mm L | 12 | 0.5 |
| 546-549 | PH 0 | 300 mm L | 12 | 0.5 |
| 546-551 | PH 1 | 75 mm L | 12 | 0.6 |
| 546-552 | PH 1 | 100 mm L | 12 | 0.6 |
| 546-553 | PH 1 | 150 mm L | 12 | 0.7 |
| 546-554 | PH 1 | 200 mm L | 12 | 0.8 |
| 546-555 | PH 1 | 250 mm L | 12 | 0.9 |
| 546-556 | PH 1 | 300 mm L | 12 | 1.0 |
| 546-561 | PH 2 | 38 mm L | 12 | 0.5 |
| 546-562 | PH 2 | 100 mm L | 12 | 0.9 |
| 546-563 | PH 2 | 125 mm L | 12 | 0.9 |
| 546-564 | PH 2 | 150 mm L | 12 | 1.0 |
| 546-565 | PH 2 | 200 mm L | 12 | 1.1 |
| 546-566 | PH 2 | 250 mm L | 12 | 1.3 |
| 546-567 | PH 2 | 300 mm L | 12 | 1.4 |
| 546-568 | PH 3 | 150 mm L | 12 | 1.8 |
| 546-569 | PH 3 | 200 mm L | 12 | 1.8 |
| 546-570 | PH 3 | 250 mm L | 12 | 2.2 |
| 546-571 | PH 3 | 300 mm L | 12 | 2.4 |

 Phillips





■ Mechanical Screwdriver

| Item No. | TORX® Tamperproof | Length |  | KGS |
|--------------------------|-------------------|----------|---|-----|
| TORX® Tamperproof | | | | |
| 546-581 | T5 | 75 mm L | 24 | 0.2 |
| 546-582 | T6 | 75 mm L | 24 | 0.2 |
| 546-583 | T7 | 75 mm L | 24 | 0.2 |
| 546-584 | T8 | 75 mm L | 24 | 0.2 |
| 546-585 | T9 | 75 mm L | 24 | 0.2 |
| 546-586 | T10 | 75 mm L | 24 | 0.3 |
| 546-587 | T15 | 75 mm L | 24 | 0.3 |
| 546-588 | T20 | 75 mm L | 24 | 0.3 |
| 546-589 | T25 | 100 mm L | 12 | 0.6 |
| 546-590 | T27 | 100 mm L | 12 | 0.6 |
| 546-591 | T30 | 100 mm L | 12 | 0.6 |
| 546-592 | T40 | 100 mm L | 16 | 1.3 |

 TORX® Tamperproof





2-Way Screwdriver Set

| Item No. | | |  | KGS |
|-------------------------------------|-------------|---------|---|-----|
| 2-Way Stubby Screwdriver Set | | | | |
| 546-100 | ⊕PH2 x ⊖6mm | 36mm L | 10 | 1.2 |
| 2-Way Screwdriver Set | | | | |
| 546-200 | ⊕PH2 x ⊖6mm | 100mm L | 6 | 0.8 |
| 546-300 | ⊕PH2 x ⊖6mm | 150mm L | 6 | 0.9 |
| 546-400 | ⊕PH2 x ⊖6mm | 200mm L | 6 | 0.9 |


4 Pcs. Mechanical Screwdriver Set

| Item No. | |  | KGS |
|---|--|---|-----|
| 546-907 | | 6 | 1.6 |
| ⊖ Slotted : 5.0 x 100mm L, 6.0 x 150mm L | | | |
| ⊕ Phillips : PH1 x 100mm L, PH2 x 150mm L | | | |

6 Pcs. Mechanical Screwdriver Set

| Item No. | |  | KGS |
|---|--|---|-----|
| 546-903 | | 6 | 2.5 |
| ⊖ Slotted : 3.2 x 75mm L, 4.0 x 100mm L, 6.0 x 100mm L, 8.0 x 150mm L | | | |
| ⊕ Phillips : PH1 x 75mm L, PH2 x 100mm L | | | |

6 Pcs. Mechanical Screwdriver Set

| Item No. | |  | KGS |
|--|--|---|-----|
| 546-908 | | 6 | 2.5 |
| ⊖ Slotted : 5.0 x 100mm L, 5.0 x 150mm L, 6.0 x 100mm L, 6.0 x 150mm L | | | |
| ⊕ Phillips : PH1 x 100mm L, PH2 x 150mm L | | | |

⊖ Slotted



⊕ Phillips



Standard Insulated Screwdriver

| Item No. | Slotted | Length | | KGS |
|----------|---------|----------|----|-----|
| 546-703 | 4.0 mm | 100 mm L | 20 | 0.8 |
| 546-705 | 5.5 mm | 125 mm L | 8 | 0.7 |
| 546-704 | 6.5 mm | 150 mm L | 8 | 0.9 |
| 546-708 | 8.0 mm | 150 mm L | 12 | 1.7 |

Standard Insulated Screwdriver

| Item No. | Phillips | Length | | KGS |
|----------|----------|----------|----|-----|
| 546-701 | PH1 | 80 mm L | 20 | 1.7 |
| 546-702 | PH2 | 100 mm L | 12 | 1.4 |
| 546-706 | PH3 | 150 mm L | 12 | 1.7 |

6 Pc. Standard Insulated Screwdriver Set

| Item No. | | KGS |
|----------|---|-----|
| 546-700 | 1 | 1.0 |

⊖ Slotted : 4.0 x 100mm L, 5.5 x 125mm L, 6.5 x 150mm L
 ⊕ Phillips : PH1 x 80mm L, PH2 x 100mm L, PH3 x 150mm L

Standard Precision Insulated Screwdriver

| Item No. | Phillips | Length | | KGS |
|----------|----------|---------|----|-----|
| 546-707 | PH0 | 65 mm L | 20 | 0.8 |

6 Pc. Standard Precision Insulated Screwdriver Set

| Item No. | | KGS |
|----------|---|-----|
| 546-710 | 1 | 0.2 |

⊖ Slotted : 2.0 x 65mm L, 2.5 x 65mm L, 3.0 x 65mm L
 ⊕ Phillips : PH00 x 65mm L, PH0 x 65mm L, PH1 x 65mm L