



GESTAR®

The Solution!



SCREWDRIVER

Screwdriver Set /
Non-Slip Power / Mechanical

 Slotted


■ Cushion Grip Impact Hex Bolster Screwdriver

Item No.	Slotted	Length		KGS
Slotted				
546-101	5.0mm	75 mm L	12	0.9
546-102	5.0mm	100 mm L	12	0.9
546-113	5.0mm	125 mm L	12	1.1
546-105	6.0mm	100 mm L	12	1.1
546-106	6.0mm	150 mm L	12	1.2
546-110	8.0mm	150 mm L	12	2.0
546-111	8.0mm	200 mm L	12	2.2

 Phillips


■ Cushion Grip Impact Hex Bolster Screwdriver

Item No.	Phillips	Length		KGS
Phillips				
546-121	PH 1	75 mm L	12	0.9
546-122	PH 1	100 mm L	12	0.9
546-123	PH 1	125 mm L	12	1.1
546-125	PH 2	100 mm L	12	1.1
546-126	PH 2	150 mm L	12	1.2
546-130	PH 3	150 mm L	12	2.0
546-131	PH 3	200 mm L	12	2.2



■ 4 Pc. Cushion Grip Impact Hex Bolster Screwdriver Set

Item No.		KGS
546-904	1	0.5
 Slotted : 5.0 x 75mm L, 6.0 x 150mm L  Phillips : PH 1 x 75mm L, PH 2 x 100mm L		



■ 6 Pc. Cushion Grip Impact Hex Bolster Screwdriver Set

Item No.		KGS
546-906	1	0.6
 Slotted : 5.0 x 75mm L, 5.0 x 125mm L, 6.0 x 100mm L, 6.0 x 150mm L  Phillips : PH 1 x 75mm L, PH 2 x 100mm L		




■ 8 Pc. Cushion Grip Impact Hex Bolster Screwdriver Set

Item No.		KGS
546-901	1	1.1
 Slotted : 6.0 x 100mm L, 6.0 x 150mm L, 8.0 x 150mm L, 8.0 x 200mm L  Phillips : 6.0 x 100mm L, 6.0 x 150mm L, 8.0 x 150mm L, 8.0 x 200mm L		


■ Cushion Grip Non-Slip Power Screwdriver

Item No.	Slotted	Length		KGS
Slotted				
546-001	3.2mm	75mm L	12	0.4
546-002	3.2mm	100mm L	12	0.5
546-003	4.0mm	100mm L	12	0.5
546-004	4.0mm	150mm L	12	0.6
546-005	4.0mm	200mm L	12	0.6
546-031	5.0mm	75mm L	24	1.7
546-006	5.0mm	100mm L	24	1.8
546-033	5.0mm	125mm L	12	0.9
546-007	5.0mm	150mm L	24	2.0
546-008	5.0mm	200mm L	12	1.1
546-009	6.0mm	100mm L	24	2.1
546-010	6.0mm	150mm L	24	2.5
546-011	6.0mm	200mm L	12	1.4
546-038	6.0mm	300mm L	6	1.0
546-012	8.0mm	150mm L	12	2.0
546-013	8.0mm	200mm L	12	2.2
546-014	8.0mm	250mm L	6	1.2
546-143	10.0mm	300mm L	12	3.7



■ Cushion Grip Non-Slip Power Screwdriver

Item No.	Phillips	Length		KGS
Phillips				
546-015	PH 0	75mm L	12	0.4
546-016	PH 0	100mm L	12	0.5
546-017	PH 0	100mm L	12	0.5
546-018	PH 0	150mm L	12	0.6
546-019	PH 0	200mm L	12	0.6
546-032	PH 1	75mm L	24	1.7
546-020	PH 1	100mm L	24	1.8
546-021	PH 1	150mm L	24	2.0
546-022	PH 1	200mm L	12	1.1
546-023	PH 2	100mm L	24	2.1
546-024	PH 2	150mm L	24	2.5
546-025	PH 2	200mm L	12	1.4
546-029	PH 2	250mm L	6	0.7
546-037	PH 2	300mm L	6	1.0
546-026	PH 3	150mm L	12	2.0
546-027	PH 3	200mm L	12	2.2
546-028	PH 3	250mm L	6	1.2



Cushion Grip Non-Slip Power Screwdriver

 TORX® Tamperproof



■ Cushion Grip Non-Slip Power Screwdriver

Item No.	TORX® Tamperproof	Length		KGS
----------	-------------------	--------	---	-----

TORX® Tamperproof

546-360	T6	75 mm L	12	0.5
546-361	T7	75 mm L	12	0.5
546-362	T8	75 mm L	12	0.5
546-363	T9	75 mm L	12	0.5
546-364	T10	100 mm L	12	0.5
546-365	T15	100 mm L	12	0.5
546-366	T20	100 mm L	12	0.5
546-367	T25	100 mm L	12	0.5
546-368	T27	100 mm L	12	0.6
546-369	T30	100 mm L	12	0.6
546-370	T40	100 mm L	12	0.6

Stubby

 Slotted



■ Cushion Grip Stubby Screwdriver

Item No.	Slotted	Length		KGS
----------	---------	--------	---	-----

Slotted

546-652	6 mm	38 mm L	24	0.9
---------	------	---------	----	-----

 Phillips



■ Cushion Grip Stubby Screwdriver

Item No.	Phillips	Length		KGS
----------	----------	--------	---	-----

Phillips

546-651	PH 2	38 mm L	24	0.9
---------	------	---------	----	-----



Ratchet Screwdriver Handle

Item No.	Size		KGS
546-601	2"	6	1.1



Flexible Ratchet Screwdriver Handle

Item No.	Size		KGS
546-603	1"	4	1.2



Magnetic Bit Holder

Item No.	Size		KGS
546-500	4"	12	1.2



4-Way Screwdriver Set

Item No.		KGS
546-505	6	1.1
⊕ PH1 x ⊖ 5mm 150mm L		
⊕ PH2 x ⊖ 6mm 150mm L		



8 Pc. Cushion Grip Non-Slip Power Screwdriver Set

Item No.		KGS
546-900	1	0.8
⊖ Slotted : 3.2 x 75mm L, 5.0 x 100mm L, 6.0 x 150mm L, 8.0 x 150mm L		
⊕ Phillips : PH0 x 75mm L, PH1 x 100mm L, PH2 x 150mm L, PH3 x 150mm L		



8 Pc. Electronic Screwdriver Set 14 in 1

Item No.		KGS
448-113	1	0.1
● Comfortable Grip Handle with Rotating Cap		
● 120mm Adjustable, Reversible & Interchangeable Blades		
⊖ Slotted : 2mm, 3mm, 4mm		
⊕ Phillips : PH00, PH0, PH1		
⊗ TORX® Tamperproof : T5, T6, T7, T8, T9, T10, T15, T20		

Hex



Precision Screwdriver

Item No.	Hex	Length		KGS
546-070	H 1.5	75 mm L	16	0.3
546-072	H 2.5	75 mm L	16	0.3

Hex

TORX® Tamperproof



Precision Screwdriver

Item No.	TORX® Tamperproof	Length		KGS
546-081	T5	75 mm L	16	0.3

TORX® Tamperproof

Precision Screwdriver



6 Pc. Precision Screwdriver Set

Item No.		KGS
546-091	1	0.3

- Slotted : 1.5 x 50mm L, 2.0 x 50mm L, 2.4 x 50mm L, 3.0 x 50mm L
- ⊕ Phillips : PH00 x 50mm L, PH0 x 50mm L



6 Pc. Precision Screwdriver Set

Item No.		KGS
546-092	1	0.4

- ⊕ TORX® Tamperproof : T5 x 60mm L, T6 x 60mm L, T7 x 60mm L, T8 x 60mm L, T9 x 60mm L, T10 x 60mm L



12 in 1 Precision Screwdriver Set


Item No.		KGS
448-112	1	0.4

- Comfortable Grip Handle with Rotating Cap
- 120mm Adjustable, Reversible & Interchangeable Blades
 - Slotted : 2mm, 3mm, 4mm
 - ⊕ Phillips : PH00, PH0, PH1
 - ⊕ TORX® Tamperproof : T5, T6, T8, T10, T15, T20

■ Mechanical Screwdriver

Item No.	Slotted	Length		KGS
Slotted				
546-501	3.2mm	50mm L	12	0.2
546-502	3.2mm	75mm L	12	0.2
546-503	3.2mm	100mm L	12	0.2
546-504	4.0mm	75mm L	12	0.3
546-575	4.0mm	100mm L	12	0.3
546-506	4.0mm	150mm L	12	0.3
546-507	4.0mm	200mm L	24	0.8
546-508	4.0mm	250mm L	12	0.5
546-509	4.0mm	300mm L	12	0.5
546-511	5.0mm	75mm L	12	0.6
546-512	5.0mm	100mm L	12	0.6
546-513	5.0mm	150mm L	12	0.7
546-514	5.0mm	200mm L	12	0.8
546-515	5.0mm	250mm L	12	0.9
546-516	5.0mm	300mm L	12	1.0
546-521	6.0mm	38mm L	12	0.5
546-522	6.0mm	100mm L	12	0.9
546-523	6.0mm	125mm L	12	0.9
546-524	6.0mm	150mm L	12	1.0
546-525	6.0mm	200mm L	12	1.1
546-526	6.0mm	250mm L	12	1.3
546-527	6.0mm	300mm L	12	1.4
546-528	8.0mm	150mm L	12	1.8
546-529	8.0mm	200mm L	12	1.8
546-530	8.0mm	250mm L	12	2.2
546-531	8.0mm	300mm L	12	2.4

 Slotted



Mechanical Screwdriver

Item No.	Phillips	Length		KGS
Phillips				
546-541	PH 0	50 mm L	12	0.2
546-542	PH 0	75 mm L	12	0.2
546-543	PH 0	100 mm L	12	0.2
546-544	PH 0	75 mm L	12	0.3
546-545	PH 0	100 mm L	12	0.3
546-546	PH 0	150 mm L	12	0.3
546-547	PH 0	200 mm L	24	0.8
546-548	PH 0	250 mm L	12	0.5
546-549	PH 0	300 mm L	12	0.5
546-551	PH 1	75 mm L	12	0.6
546-552	PH 1	100 mm L	12	0.6
546-553	PH 1	150 mm L	12	0.7
546-554	PH 1	200 mm L	12	0.8
546-555	PH 1	250 mm L	12	0.9
546-556	PH 1	300 mm L	12	1.0
546-561	PH 2	38 mm L	12	0.5
546-562	PH 2	100 mm L	12	0.9
546-563	PH 2	125 mm L	12	0.9
546-564	PH 2	150 mm L	12	1.0
546-565	PH 2	200 mm L	12	1.1
546-566	PH 2	250 mm L	12	1.3
546-567	PH 2	300 mm L	12	1.4
546-568	PH 3	150 mm L	12	1.8
546-569	PH 3	200 mm L	12	1.8
546-570	PH 3	250 mm L	12	2.2
546-571	PH 3	300 mm L	12	2.4

 Phillips



Mechanical Screwdriver

Item No.	TORX® Tamperproof	Length		KGS
TORX® Tamperproof				
546-581	T5	75 mm L	24	0.2
546-582	T6	75 mm L	24	0.2
546-583	T7	75 mm L	24	0.2
546-584	T8	75 mm L	24	0.2
546-585	T9	75 mm L	24	0.2
546-586	T10	75 mm L	24	0.3
546-587	T15	75 mm L	24	0.3
546-588	T20	75 mm L	24	0.3
546-589	T25	100 mm L	12	0.6
546-590	T27	100 mm L	12	0.6
546-591	T30	100 mm L	12	0.6
546-592	T40	100 mm L	16	1.3


 TORX® Tamperproof





2-Way Screwdriver Set

Item No.				KGS
2-Way Stubby Screwdriver Set				
546-100	⊕ PH2 x ⊖ 6mm	36mm L	10	1.2
2-Way Screwdriver Set				
546-200	⊕ PH2 x ⊖ 6mm	100mm L	6	0.8
546-300	⊕ PH2 x ⊖ 6mm	150mm L	6	0.9
546-400	⊕ PH2 x ⊖ 6mm	200mm L	6	0.9




4 Pc. Mechanical Screwdriver Set

Item No.			KGS
546-907		6	1.6
⊖ Slotted : 5.0 x 100mm L, 6.0 x 150mm L			
⊕ Phillips : PH1 x 100mm L, PH2 x 150mm L			




6 Pc. Mechanical Screwdriver Set

Item No.			KGS
546-903		6	2.5
⊖ Slotted : 3.2 x 75mm L, 4.0 x 100mm L, 6.0 x 100mm L, 8.0 x 150mm L			
⊕ Phillips : PH1 x 75mm L, PH2 x 100mm L			




6 Pc. Mechanical Screwdriver Set

Item No.			KGS
546-908		6	2.5
⊖ Slotted : 5.0 x 100mm L, 5.0 x 150mm L, 6.0 x 100mm L, 6.0 x 150mm L			
⊕ Phillips : PH1 x 100mm L, PH2 x 150mm L			



6 Pc. Mechanical Screwdriver Set

Item No.		KGS
546-909	6	3.8
⚪ Slotted : 3.2 x 50mm L, 3.2 x 75mm L, 4.0 x 100mm L, 6.0 x 100mm L, 6.0 x 150mm L, 8.0 x 200mm L		



6 Pc. Mechanical Screwdriver Set

Item No.		KGS
546-905	6	3.8
⚪ Phillips : 3.2 x 50mm L, 4.0 x 75mm L, 5.0 x 100mm L, 6.0 x 125mm L, 6.0 x 150mm L, 8.0 x 200mm L		



8 Pc. Mechanical Screwdriver Set

Item No.		KGS
546-910	1	0.4
⚪ TORX® Tamperproof : T8, T10, T15, T20, T25, T27, T30, T40		



117 Pc. Mechanical Screwdriver Set – Wire Stand

Item No.		KGS
546-911	1	10.3
⚪ Slotted : 3.2 x 75mm L (11PC.) ⚪ Phillips : PH0 x 75mm L (11PC.) 4.0 x 100mm L (11PC.) PH0 x 100mm L (11PC.) 5.0 x 100mm L (8PC.) PH1 x 100mm L (8PC.) 5.0 x 200mm L (8PC.) PH1 x 200mm L (8PC.) 6.0 x 100mm L (7PC.) PH2 x 100mm L (7PC.) 6.0 x 150mm L (7PC.) PH2 x 150mm L (7PC.) 6.0 x 250mm L (3PC.) PH2 x 250mm L (4PC.) 8.0 x 300mm L (3PC.) PH3 x 300mm L (3PC.)		

⊖ Slotted



Standard Insulated Screwdriver

Item No.	Slotted	Length		KGS
546-703	4.0 mm	100 mm L	20	0.8
546-705	5.5 mm	125 mm L	8	0.7
546-704	6.5 mm	150 mm L	8	0.9
546-708	8.0 mm	150 mm L	12	1.7

Slotted

⊕ Phillips



Standard Insulated Screwdriver

Item No.	Phillips	Length		KGS
546-707	PH0	65 mm L	20	0.8
546-701	PH1	80 mm L	20	1.7
546-702	PH2	100 mm L	12	1.4
546-706	PH3	150 mm L	12	1.7

Phillips



6 Pc. Standard Insulated Screwdriver Set

Item No.		KGS
546-700	1	1.0

⊖ Slotted : 4.0 x 100mm L, 5.5 x 125mm L, 6.5 x 150mm L
 ⊕ Phillips : PH1 x 80mm L, PH2 x 100mm L, PH3 x 150mm L



6 Pc. Standard Precision Insulated Screwdriver Set

Item No.		KGS
546-710	1	0.2

⊖ Slotted : 2.0 x 65mm L, 2.5 x 65mm L, 3.0 x 65mm L
 ⊕ Phillips : PH00 x 65mm L, PH0 x 65mm L, PH1 x 65mm L

Standard Insulated Screwdriver